

SULFLO INC. -- VV-P-236, SULFLO -- 9150-00-250-0926

=====  
Product Identification  
=====

Product ID:VV-P-236, SULFLO  
MSDS Date:06/01/1990  
FSC:9150  
NIIN:00-250-0926  
MSDS Number: BLPFC  
=== Responsible Party ===  
Company Name:SULFLO INC.  
Address:1158 ERIE AVENUE  
Box:285  
City:NORTH TONAWANDA  
State:NY  
ZIP:14120-3507  
Country:US  
Info Phone Num:716-695-3585 FAX: 716-695-0367  
Emergency Phone Num:716-695-358

5  
CAGE:JO986  
=== Contractor Identification ===

Company Name:SULFLO INC  
Address:1158 ERIE AVE  
Box:285  
City:NORTH TONAWANDA  
State:NY  
ZIP:14120-3507  
Country:US  
Phone:716-695-3585  
CAGE:1V074  
Company Name:SULFLO INC.  
Address:1158 ERIE AVE  
Box:285  
City:NORTH TONAWANDA  
State:NY  
ZIP:14120-3507  
Country:US  
Phone:716-695-3585  
CAGE:JO986

=====  
Composition/Information on Ingredients  
=====

Ingred Name:GREASE, PETROLEUM  
CAS:8009-03-8  
Fraction by Wt: 100%  
Other REC Limits:NONE SPECIFIED

===

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:THIS PRODUCT HAS BEEN USED FOR YEARS  
WITH NO KNOWN ILL EFFECTS.  
Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
First Aid Measures  
=====

First Aid:INGESTION: GET MEDICAL ATTENTION. SKIN: FLUSH WITH SOAP AND  
WATER. REMOVE AND LAUNDRER CONTAM  
INATED CLOTHING. EYES: FLUSH WITH  
SOAP AND WATER FOR AT LEAST 15 MIN. GET MEDICAL ATTENTION.  
INHALATION: NOT APPLICABLE.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:400F,204C  
Autoignition Temp:Autoignition Temp Text:430F  
Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM,  
EARTH OR SAND.  
Fire Fighting Procedures:WATER MAY CAUSE FROTHING.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Re  
lease Measures  
=====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR  
SCOOP UP AND REMOVE.  
Neutralizing Agent:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN  
USE.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Protective Gloves:NEOPRENE  
Eye Protection:FACE SHIELD  
Other Protective Equipment:NONE  
Work Hygienic Prac

Instructions: WASH HANDS THOROUGHLY AFTER USING THIS PRODUCT.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt: B.P. Text: 700F, 371C

Melt/Freeze Pt: M.P/F.P Text: 165F, 74C

Spec Gravity: 0.866

Solubility in Water: NIL

Appearance and Odor: YELLOW WAX - BLAND

Percent Volatiles by Volume: 0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition

to Avoid: EXTREME TEMPERATURES.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims

all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.