

LITTON ELECTRON DEVICES -- L2806A TRAVELING WAVE TUBE BAND 3 W/ALNICO MAGNETS --  
5865-00-476-4443

=====  
===== Product Identification =====

Product ID:L2806A TRAVELING WAVE TUBE BAND 3 W/ALNICO MAGNETS

MSDS Date:04/15/1989

FSC:5865

NIIN:00-476-4443

MSDS Number: BLRDQ

=== Responsible Party ===

Company Name:LITTON ELECTRON DEVICES

Address:960 INDUSTRIAL RD

City:SAN CARLOS

State:CA

ZIP:94070

Info Phone Num:

(415) 591-8411

Emergency Phone Num:(415) 591-8411

CAGE:FO469

=== Contractor Identification ===

Company Name:LITTON ELECTRON DEVICES

Address:960 INDUSTRIAL RD

City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:415-591-8411

CAGE:FO469

Company Name:LITTON ELECTRON DEVICES .

Address:960 INDUSTRIAL RD

Box:City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:650-591-8411

CAGE:80080

=====  
===== Composition/Information on Ingredients =====

Ingred Name:ALUMINUM (SARA III)

CAS:7429-90-5

RTE

CS #:BD0330000  
OSHA PEL:15MG/M3 DUST/5 FUME  
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:NICKEL (SARA III)  
CAS:7440-02-0  
RTECS #:QR5950000  
Other REC Limits:1 MG/CUM  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192

Ingred Name:COBALT (SARA III)  
CAS:7440-48-4  
RTECS #:GF8750000  
Other REC Limits:0.05 PPM  
OSHA PEL:0.1 MG/M3;AS CO  
ACGIH TLV:0.05 MG/M3;DUST 9293

Ingred Name:COPPER (SARA III)  
CAS:7440-50-8  
RTECS #:GL5325000  
Other REC Limits:1 MG(CU)/M3 (DUST)  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2MG/M3 F  
UME; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:IRON OXIDE  
CAS:1309-37-1  
RTECS #:NO7400000  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5 MG/M3(FE),B2; 9293

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:INH

ALATION: UPPER RESPIRATORY TRACT  
IRRITATION. SKIN: ALLERGIC REACTION.

Explanation of Carcinogenicity:NICKEL IS A SUSPECTED HUMAN CARCINOGEN  
BY ACGIH.

Effects of Overexposure:INHALATION: UPPER RESPIRATORY TRACT IRRITATION.  
SKIN: ALLERGIC REACTION.

=====  
===== First Aid Measures =====

First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:BLANKET, DRY NITROGEN, ARGON,  
OR DRY CHEMICAL.

DON'T USE WATER OR HALON AGENTS.

Fire Fighting Procedures:POWDER BURNS RAPID/INTENSE. POWDER MAY  
REIGNITE AFTER EXTINGUISHED. RARE EARTH METAL POWDERS (SAMARIUM)  
BURN VIGOROUSLY IN HALOGEN OR ORGANIC ATMOSPHERE.

Unusual Fire/Explosion Hazard:FINE METAL POWDERS PRODUCED BY DRY  
GRINDING/MACHING MAY CAUSE EXPLOSION. DRY POWDER/GRINDING SLUDGE  
MAY IGNITE SPONTANEOUSLY IN AIR OR OXYGEN.

=====  
===== Handling and Storage =====

Handling

and Storage Precautions:DON'T SHIP ON AIRCRAFT ANY MICROWAVE  
TUBES W/MAGNETIC FIELD >0.00525 GAUSS MEASURED AT 15 FT. (4.6 M)  
FROM ANY SURFACE OF THE PACKAGE.

Other Precautions:NO SPECIAL PROTECTION IS REQUIRED FOR MICROWAVE TUBES  
AS SHIPPED. DON'T GRIND, CUT, FILE, SAW OR OTHERWISE CREATE DUST  
FROM MAGNETIC MATERIAL USED AS A PART OF MICROWAVE TUBES.

=====  
===== Exposure Controls/Personal Protection =====

Work Hygienic Practices:USE GOOD HYGIENE.

Supplemental Safe  
ty and Health

=====  
===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:>2417F

Spec Gravity:7.0-8.5

Solubility in Water:INSOLUBLE

Appearance and Odor:METALLIC SILVER/LIGHT GRAY METAL, ODORLESS

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, ACIDS, OXYGEN, HALOGENATED HYDROCARBONS, &  
WATER

Hazardous Decomposition Products:HYDROGEN

=====  
===== Disposal C

considerations =====

Waste Disposal Methods:RECYCLING OF MAGNETS USED IN MICROWAVE TUBES IS RECOMMENDED. RETURN TO MANUFACTURER FOR RECYCLING OR DISPOSE ACCORDING TO FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.