View NSN Online: https://aerobasegroup.kr/nsn/6810-00-431-7749

FISHER SCIENTIFIC -- SO-M-52, SM54500 -- 6810-00-431-7749

Product ID:SO-M-52, SM54500

MSDS Date:11/14/1985

FSC:6810

NIIN:00-431-7749

MSDS Number: BLTYW === Responsible Party ===

Company Name: FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ ZIP:07410 Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100;800-424-9300(CHEMTREC)

Prep

arer's Name: GASTON L PILLORI

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

======= Composition/Information on Ingredients ========

Ingred Name:BENZENESULFONIC ACID, P-((P-(DIMETHYLAMINO)PHENYL) AZO-,

SODIUM SALT; (METHYL ORANGE)

CAS:547-58-0

RTECS #:DB6327000 Fraction by Wt: 0.05-.1%

Ingred Name: ACETIC ACID, (ETHYLENEDIN

ITRILO) TETRA-, TETRA SODIUM SALT; (TETRASODIUM ETHYLENE DIAMINE TETRAACETATE) CAS:64-02-8 RTECS #:AH5075000 Fraction by Wt: 0.005%

Ingred Name:ACETIC ACID, (ETHYLENEDINITRILO)TETRA-, DISODIUM SALT, DIHYDRATE; (ETHYLENEDIAMINETETRAACETIC ACID, DISODIUM SALT)

CAS:6381-92-6

RTECS #:AH4410000 Fraction by Wt: 0.008%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 99.9%

========= Hazards Identification ==============

LD50 LC50 Mixture:NONE SPECIFIED

BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:(ACUTE) INHAL: NO DATA AVAILABLE. MAY BE IRRITATING. SKIN: NO DATA AVAILABLE. MAY BE IRRITATING. EYE: UREASE: NO DATA AVAILABLE. INGEST: NO DATA AVAILABLE. MAY CAUSE GI IRRITATION. NO SYSTEMIC EFTS RE PORTED IN HUMANS. (CHRONIC) INHAL: NO DATA AVAILABLE. SKIN: NO DATA AVAILABLE. EYE: UREASE: NO DATA AVAILABLE.

Explanation

of Carcinogenicity:NOT RELEVANT

Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:INHAL:REMOVE FROM EXPOS AREA TO FRESH AIR IMMED. IF BRTHG STOP, PERFORM ARTF RESP. KEEP PERSON WARM & AT REST. GET MD IMMED. SKIN:REMOVE CONTAM CLTHG & SHOES IMMED. WASH AFFECTED AREA W/SOAP/MILD DET ERGENT & LRG AMTS OF WATER UNTIL NO EVIDENCE OF CH

EM REMAINS (APPROX 15-20 MIN). GET MD IMMED. EYE:IMMED FLUSH W/POTABLE WATER FOR A MINIMUM OF 15 MIN, SEEK ASSISTANCE FROM MD . (SEE SUPP DATA)
======================================

Flash Point: WILL NOT BURN

Extinguishing Media:DRY CHEMICAL, CO2, WATER SPRAY OR FOAM. FOR LRG FIRES, USE WATER SPRAY, FOG OR ALCOHOL FOAM.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROT EQUIPMENT . NO ACUTE HAZARD. MOVE CONTAINER FROM FIRE AREA IF

POSSIBLE. AVOID BREATHING VAPS/MISTS; KEEP UPWIND.

Unusual Fire/Explosion Hazard:NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO HEAT OR FLAME.

======== Accidental Release Measures ============

Spill Release Procedures: ABSORB WITH VERMICULITE OR OTHER SUITABLE MATERIAL. PLACE IN A SUITABLE CONTAINER (PLASTIC), FOR LATER DISPOSAL. KEEP OUT OF SEWERS, WATERWAYS AND WATER SOURCES. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER.

Other Precautions: DO NOT WEAR CONTACT LENSES WHEN WORKING WITH CHEMICALS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE REQUIRED FOR THE PROPOSED USE OF THIS CHEMICAL. NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:PROVIDE GENERAL DILUTION VENTILATION.

Protective Gloves:PROTECTIVE GLOVES ARE RECOMMENDED.

Eye Protection: CHEMICAL WORKERS GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FIRST AID PROC: INGEST: IF VICTIM IS CONSCIOUS, IMMEDIATELY GIVE 2 TO 4 GLASSES OF WATER, AND INDUCE VOMITING BY TOUCHING FINGER TO BACK OF THROAT. GET MD IMMEDIATELY.

======== Physical/Chemical Properties ===========

HCC:N1
Boiling Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.P/F.P Tex

t:32.0F,0.0C Vapor Pres:14

Vapor Density:0.7(WATER)

Spec Gravity:1.0

Evaporation Rate & Evaporation R

Solubility in Water: COMPLETE

Appearance and Odor:ORANGE RED LIQUID.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

WATER-REACTIVE AND OTHER SUBSTANCES, EXAMPLES FOLLOW: OLEUM, SODIUM.

Stability Condition to Avoid: AVOID CONTACT WITH OR STORAGE WITH

INCOMPATIBLE MATERIALS.

Hazardous Decomposition Products:THIS HAZ

ARD IS NEGLIGIBLE.

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for i

ts use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.