

NCH CORP DIV OF PLUMBMASTER INC -- EXADERM AEROSOL -- 6850-00-418-4503

=====  
Product Identification  
=====

Product ID:EXADERM AEROSOL

MSDS Date:11/13/1990

FSC:6850

NIIN:00-418-4503

MSDS Number: BLWBM

=== Responsible Party ===

Company Name:NCH CORP DIV OF PLUMBMASTER INC

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

Info Phone Num:214-438-1381

Emergency Phone Num:

214-438-1381

CAGE:FO113

=== Contractor Identification ===

Company Name:NCH CORP

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015-2170

Country:US

Phone:972-438-0563

CAGE:20913

Company Name:NCH CORP DIV OF PLUMBMASTER INC

Address:2727 CHEMSEARCH BLVD

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

Phone:214-438-1381

CAGE:FO113

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PROPYLENE GLYCOL

CAS:57-55-6

RTECS #:TY2000000

Other REC Limits

:NONE SPECIFIED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY BE IRRITATING TO THE EYES. MASSIVE  
CHRONIC INGESTION MAY CAUSE SLIGHT LIVER DAMAGE.  
Effects of Overexposure:MAY CAUSE VOMITING AND DIARRHEA IF INGESTED IN  
LARGE QUANTITIES.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH LARGE AMOUNTS OF WATER FOR 10 MIN.,  
LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET MEDICAL ATTENTION.  
INGESTION: GIVE 2 GLASSES OF WATER IND INDUCE VOMITING IF VICTIM IS  
CONSC IOUS. SEE A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:FOAM, ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL,  
WATER SPRAY.  
Fire Fighting Pro  
cedures:USE WATER SPRAY TO COOL EXPOSED PRESSURIZED  
CONTAINERS. USE EXTINGUISHING MEDIA AS APPROPRIATE FOR SURROUNDING  
CONDITIONS.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:AEROSOL PACKAGE, SO SPILL IS UNLIKELY. WIPE UP  
MATERIAL AND PLACE IN CONTAINER. WASH AREA WITH SOAP AND WATER.  
Neutralizing Agent:NONE

=====  
===== Handling and Storage =====  
====

Handling and Storage Precautions:STORE BETWEEN 35F AND 100F.  
Other Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL EXHAUST IS MORE THAN SUFFICIENT TO PROTECT USER  
FROM EXPOSURE TO LEVELS GREATER THAN PERMISSIBLE EXPOSURE LIMIT.  
Work Hygienic Practices:WASH HANDS AFTER USING THIS PRODUCT.  
Supplemental Safety and Health  
NONE

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:210F,99C

Vapor Pres:18  
Vapor Density:0.6  
Spec Gravity:1.005  
pH:9  
Evaporation Rate & Reference:0.10 (N-BUTYL ACETATE=1)  
Solubility in Water:COMPLETE  
Appearance and Odor:SEMI-VISCOUS, OPAQUE WHITE MATERIAL WITH A FLORAL  
ODOR.  
Percent Volatiles by Volume:86

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:OXIDES  
OF CARBON.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE AEROSOL CANS.  
DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accur  
ate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.