

CSD INC. -- LUBE OIL,AIRCRAFT -- 9150-00-753-5060

=====
Product Identification
=====

Product ID:LUBE OIL,AIRCRAFT

MSDS Date:12/31/1991

FSC:9150

NIIN:00-753-5060

MSDS Number: BLWBZ

=== Responsible Party ===

Company Name:CSD INC.

Address:5 HACKEBERRY LANE

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Info Phone Num:409-756-1065

Emergency Phone Num:409-756-1065

Preparer's Name:DGSC-SSH

CAGE:JO93

3

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:CSD INC.

Address:5 HACKBERRY LANE

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:JO933

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL BLEND

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5

MG/M3 (OIL MIST)

Ingred Name:ADDITIVES TO IMPART OXIDATION STABILITY AND DISPERSANT PROPERTIES.

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS,EXCEPT TO A VERY SENSITIVE INDIVIDUAL. CHRONIC:MILD SKIN IRRITATIO ON PROLONGED CONTACT. PERSONNEL WITH PRE-EXISTING SKIN DISORDER SHOULD AVOID CON TACT.
Effects of Overexposure:NO ACUTE EFFECTS UNDER NORMAL CONDITIONS, EXCEPT VERY SENSITIVE INDIVIDUALS.PROLONGED CONTACT MAY LEAD TO MILD SKIN IRRITATION.
Medical Cond Aggravated by Exposure:PERSONNEL WITH PRE-EXISTING SKIN DISORDER SHOULD AVOID CONTACT.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.
SKIN: WASH WITH SOAP AND WATER
. INHALATION: REMOVE TO FRESH AIR;CALL A PHYSICIAN. INGESTION:DO NOT INDUCE VOMITING;CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>470F,>243C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:SLIGHTLY COMBUSTIBLE,WHEN HEATED ABOVE FLASH POINT. USE REASONABLE CARE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;STOP FLOW.MOP UP OR ABSORB WITH INERT ABSORBENT MATERIAL AND COLLECT FOR PROPER DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA. KEEP AWAY FROM HEAT,

OPEN FLAMES.PROPER FOOTWEAR REQUIRED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED IF THERE IS ADEQUATE VENTILATION.

Ventilation:LOCAL/GENERAL TO MAINTAIN BELOW TLV/PEL LIMITS.

Protective Gloves:NITRILE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:OIL RESISTANT BOOTS AND APRONS.

Work Hygienic Practices:AVOID CONTACT SKIN AND EYES.DO NOT BREATHE VAPORS/ MIST.WASH THOROUGHLY AFTER EA

CH USE.

Supplemental Safety and Health

MSDS PREPARED BY DGSC-SSH.

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:1.0

Spec Gravity:0.88

Viscosity:18.7-26.1 CS

Evaporation Rate & Reference: