View NSN Online: https://aerobasegroup.kr/nsn/6810-00-281-7453

Product ID:MERCURY MSDS Date:06/01/1989 FSC:6810 NIIN:00-281-7453 MSDS Number: BMGPM === Responsible Party === Company Name: ADROW CHEMICAL CO. Address:2 LINES AVE. **City:WANAQUE** State:NJ ZIP:07465-1509 Country:US Info Phone Num:201-839-2372 Emergency Phone Num:201-337-3183/201-427-5273 CAGE:3F134 === Contractor Ide ntification === Company Name: ADROW CHEMICAL CO. Address:2 LINES AVE. Box:City:WANAQUE State:NJ ZIP:07465-1509 Country:US Phone:201-337-3183/201-427-5273 CAGE:3F134

Ingred Name:MERCURY, (OSHA PEL LIQUID: S, C, 0.1 MG/M3; VAPOR: 0.05 MG/M3), (ACGIH TLV LIQUID: S, 0.1 MG/M3; VAPOR 0.05 MG/M3) CAS:7439-97-6 RTECS #:OV4550000 Fraction by Wt: 100% OSHA PEL:SEE INGREDIENT ABOVE ACGIH TLV:SEE INGREDIENT ABOVE EPA Rpt Qty:1 LB DOT Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SEVERE RESPIRATORY IRRITATION, BREATHING DIFFICULTIES WHICH MAY BE FATAL. DAMAGE TO THE CENTRAL NERVOUS SYSTEM, KIDNEYS AND LIVER CAN OCCUR. CHRONIC: GUM AND MOUTH INFLAMATION, IRRITABILITY, TR EMORS AND STOMATITIS. DAMAGE TO THE KIDNEYS, LIVER AND

CENTRAL NERVOUS SYSTEM.

Explanation of Carcinogenicity:DATA PER MSDS

Effects of Overexposure: TREMORS, CONVULSIONS & OTHER CNS DISTURBANCES, PNEUMONITIS, CHEST PAINS, DYSPNEA, COUGHING, STOMATITIS, GINGIVITIS AND LOOSENING OF TEETH, SALIVATION, LOSS OF MEMORY, METALLIC TASTE, DIZZINESS, CLUMSI NESS, SLURRED SPEECH, DIARRHEA, PAIN & NUMBNESS IN EXTREMITIES, NEPHRITIS, ANXIETY, HEADACHE, WEIGHT LOSS, AND INSOMNIA.

Medical Cond Aggravated by Exposure: PEOPLE WITH LIVER, KIDNEY AND

NERVOUS SYSTEM DISORDERS SHOULD AVOID EXPOSURE.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR/OXYGEN. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. S KIN: REMOVE CONTAMINATED CLOTHING. WASHSKIN WITH PLENTY OF SOAP & WATER. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. A 5% SOLUTION OF SODIUM FORM

ALDEHYDE SULFOXYLATE MAY BE USED TO INDUCE VOMITING.

Flash Point:NONE

Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:NONE EXPECTED. TOXIC MERCURY VAPORS.

Spill Release Procedures: USE APPROPIATE RESPIRATORY PROTECTION AND PROPER PROTECTIVE CLOTHING. CLEAN UP SPILLS IMMEDIATELY WITH A MERCURY VACUUM CLEANER. DECONTAMINATE AREA WITH A MERCURY DECONTAMINANT. KEEP COLLECTED MERCURY FOR DISPOSAL. Neutralizing Agent: NONE

Handling and Storage Precautions: STORE IN SEALED UNBREAKABLE

POLYETHYLENE CONTAINERS IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM HEAT. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions: CLEAN UP SPILLS AS QUICKLY AND THOROUGHLY AS POSSIBLE. Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR DECISION LOGIC-PUBL ICATION NUMBER 87.108. Ventila tion:PROVIDE SUFFICIENT GENERAL/LOCAL EXHAUST VENTILATION IN PATTERN/VOLUME TO CONTROL INHALATION EXPOSURES BELOW OSHA'S PEL. Protective Gloves:NON-POROUS,NON-ABSORBENT,IMPERVIOUS GLVS Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: SEPARATE WORK AND STREET CLOTHING. STORE WORK CLOTHING IN SPECIAL LOCKERS. SHOWER BEFORE CHANGING TO STREET CLOTHES. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health WORK CLOTH SHOULD NOT BE CLEANED BY SHAKING. VACUUM BEFORE REMOVAL AND LAUNDER.

HCC:T6 Boiling Pt:B.P. Text:674F,357C Melt/Freeze Pt:M.P/F.P Text:-38F,-39C Vapor Pres:0.0012 Vapor Density:1.015 Spec Gravity:13.5 Evaporation Rate & amp; Reference: