View NSN Online: https://aerobasegroup.kr/nsn/9150-01-108-5672

IBM CORPORATION -- 0625177 (1280441) GREASE 23 -- 9150-01-108-5672

Product ID:0625177 (1280441) GREASE 23 MSDS Date:02/01/1990 FSC:9150 NIIN:01-108-5672 MSDS Number: BMGSB === Responsible Party === **Company Name: IBM CORPORATION** Address:OLD ORCHARD ROAD City:ARMONK State:NY ZIP:10504-1709 Country:US Info Phone Num:800-IBM-4333 Emergency Phone Num:800-426-4333/FAX 2 14-280-3903 CAGE:30874 === Contractor Identification === Company Name: IBM CORPORATION Address:OLD ORCHARD ROAD City:ARMONK State:NY ZIP:10504-1709 Country:US Phone:800-426-4333/FAX 214-280-3903 CAGE:30874

Ingred Name:SEVERLY HYDROTREATED HEAVY NAPHTHENIC DISTILLATE CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 90% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/CUM, OIL MIST ACGIH TLV:5 MG/CUM, OIL MIST

Ingred Name:BENTON

ITE (INORGANIC CLAY) CAS:1302-78-9 RTECS #:CT9450000 Fraction by Wt: 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (DUST) ACGIH TLV:5 MG/M3 (DUST)

Ingred Name:FATTY ACID AMINES CAS:68910-93-0 Fraction by Wt: 4% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM NITRITE (SARA III) (LISTED BY MANUFACTURER AS "OTHER COMPONENTS) CAS:7632-00-0 RTECS #:RA1225000 Fraction by Wt: 1% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

====== Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES:MILD IRRITATION.SKIN:IRRITATION. RELEASE DURING HIGH PRESSURE USAGE MAY RESULT IN INJECTION & NECROSIS. INHALATION:VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION,HEADACHE,NAUSEA, WEAKNESS,CO NFUSION.INGESTION:UNKNOWN.CHRONIC-SKIN:POSSIBLE RASH,DERMATITIS, OIL ACNE; ASTHMA & LUNG DISEASE;

ALLERGIC REACTION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUPECTED CARCINOGEN.

Effects of Overexposure:MILD EYE IRRITATION. SKIN IRRITATION. VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION, HEADACHE, NAUSEA, WEAKNESS, CONFUSION.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDERS, ASTHMA AND LUNG DISEASE MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INHALATION:REMOVE TO FRESH AIR.PROVIDE ARTIFICIAL RESPIRATION/OXYGEN IF NEEDED.INGESTION:DO NOT INDUCE VOMITING.CALL PHYSICIAN.EYE:FLUSH WITH WATER FOR 15 MI NUTES, HOLDING EYELIDS OPEN.SKIN:WIPE EXCESS OFF.WASH WITH SOAP & WATER.

Flash Point Method:PMCC
Flash Point:464F,240C
Extinguishing Media:USE FOAM, CARBON DIOXIDE, OR DRY CHEMICAL
WATER
MAY CAUSE FROTHING.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:VENTILATE AREA. ELIMINATE ALL SOURCES OF IGNITION. COVER WITH ABSORBENT MATERIAL AND COLLECT. CLEAN AREA WITH APPROPRIATE CLEANER. Neutralizing Agent:NONE SP ECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL,DRY,VENTILATED PLACE.KEEP AWAY FROM OPEN FLAMES,HEAT,SPARKS & STRONG OXIDIZERS.
Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES,THAT CANNOT BE CLEA

NED

Respiratory Protection:NONE NORMALLY REQUIRED. USE A NIOSH-APPROVED RESPIRATOR IF NEEDED. Ventilation:LOCAL EXHAUST Protective Gloves:NITRILE Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEA R CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health

HCC:V6 Boiling Pt:B.P. Text:601F,316C Vapor Pres:0.01 MM HG Spec Gravity:0.88 (WATER=1) Solubility in Water:INSOLUBLE Appearance and Odor:BROWN-AMBER COLORED SMOOTH GREASE - SLIGHT PETROLEUM ODOR Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZI NG AGENTS, STRONG ACIDS Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

Waste Disposal Methods:PLACE IN AN APPROVED DISPOSAL FACILITY FOR CHEMICAL LANDFILL, INCINERATION. DISPOSE OF IN COMPLIANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies ):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.