

DAVIS HOWLAND OIL CORP. -- SUPER FRIG 300 VV-L-825B TYPE II -- 9150-00-598-2911

=====
Product Identification
=====

Product ID: SUPER FRIG 300 VV-L-825B TYPE II

MSDS Date: 03/18/1992

FSC: 9150

NIIN: 00-598-2911

MSDS Number: BMSNM

=== Responsible Party ===

Company Name: DAVIS HOWLAND OIL CORP.

Address: 200 ANDERSON AVE.

City: ROCHESTER

State: NY

ZIP: 14607

Country: US

Info Phone Num: 716-473-6650

Emergency Ph

one Num: 716-473-6650

CAGE: 5A565

=== Contractor Identification ===

Company Name: DAVIS HOWLAND OIL CORP.

Address: 200 ANDERSON AVE.

City: ROCHESTER

State: NY

ZIP: 14607

Country: US

Phone: 716-473-6650

CAGE: 5A565

=====
Composition/Information on Ingredients
=====

Ingred Name: HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM

CAS: 64742-52-5

RTECS #: PY8035000

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 5 MG/M3 (OIL MIST)

ACGIH TLV: 5 MG/M3 (OIL MIST)

=====

==== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MINIMALLY IRRITATING TO EYES
AND SKIN. MILDLY IRRITATING TO RESPIRATORY SYSTEM. INJECTION UNDER
SKIN MAY CAUSE TISSUE DESTRUCTION IF UNATTENDED. CHRONIC:
DERMATITIS.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE C
ARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:EYES/SKIN: IRRITATION. INHALATION: NOSE, THROAT
AND UPPER RESPIRATORY SYSTEM IRRITATION. INGESTION: LOW HAZARD.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

==== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER.
INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING.
SEE DOCTOR. INJECTION: THIS IS A MEDICAL
EMERGENCY, SEE DOCTOR
IMMEDIATELY.

==== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:340F,171C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, CHEMICAL FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRE IN CONFINED SPACES.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY GENERATE
HAZARDOUS DECOMPOSITION PRODUCTS.

==== Accidental Release Measu
res =====

Spill Release Procedures:VENTILATE AREA. USE APPROPRIATE PROTECTIVE
CLOTHING AND EQUIPMENT. ABSORB IN INERT MATERIAL, AND PLACE IN
APPROPRIATE DISPOSAL CONTAINER AND SEAL. FLUSH AREA WITH PLENTY OF
WATER.

==== Handling and Storage =====

Handling and Storage Precautions:NFLPA CLASS III B STORAGE. WASH
THOROUGHLY AFTER HANDLING.
Other Precautions:NONE

==== Exposure Controls/Personal Protection =====

Re

Respiratory Protection:CONCENTRATION IN AIR DETERMINES NEEDS, USE ONLY NIOSH/MSHA CERTIFIED RESPIRATORS.

Ventilation:GENERAL (MECHANICAL) VENTILATION.

Protective Gloves:NITRILE RUBBER GLOVES

Eye Protection:SAFETY GLASSES - CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NONE NORMALLY NEEDED.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

==

HCC:V6

Boiling Pt:B.P. Text:700F,371C

Vapor Pres: