View NSN Online: https://aerobasegroup.kr/nsn/1430-00-907-4837

THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV. -- MS-907 PART A -- 1430-00-907-4837

Product ID:MS-907 PART A MSDS Date:09/22/1977

FSC:1430

NIIN:00-907-4837

MSDS Number: BMSXW === Responsible Party ===

Company Name: THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV.

Address:211 FRANKLIN ST.

City:OLEAN State:NY

ZIP:14760-1297 Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309

CAGE:DO846

=== Contractor Identification ===

Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name: THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION

Box:200

City: CHAGRIN FALLS

State:OH ZIP:44022 Country:US

Phone:216-247-5000

CAGE:DO846

======= Composition/Information on Ingredients ========

Ingred Name: NON HAZARDOUS ING

Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
========== Hazards Identification ============
LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 2,000 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER T HAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure:MAY CAUSE IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:WASH WITH SOAP AND WATER AT FIRST OPPORTUNITY OF SKIN CONTACT. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.
======================================
Flash Point Method:COC Flash Point:>450F,>232C Extinguishing Media: USE CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES: FOAM (ALCOHOL, POLYMER OR ORDINARY) FOR LARGE FIRES. Fire Fighting Procedures:NONE-AVOID BREATHING SMOKE. Unusual Fire/Explosion Hazard:NONE.
======== Accidental Release Measures ==========
Spill Release Procedures:COVER WITH ABSORBENT MATERIAL, THEN SHOVEL INTO WASTE CONTAINER. IF SPILL AREA IS TO BE SOLVENT RINSED TO REMOVE STICKINESS, BE AWARE OF SOLVENT VAPOR HAZARDS.
=========== Handling and St

REDIENT

orage ====================================
Handling and Storage Precautions:STORE IN A DRY PLACE. AVOID SKIN CONTACT. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE REQUIRED. Ventilation:NOT ORDINARILY REQUIRED. PROVIDE LOCAL EXHAUST ONLY IF HEATED.
Protective Gloves:PLASTIC OR RUBBER GLOVES Eye Protection:SAFETY GLASSES - GOGGLES Other Protective Equipment:WEAR COVERALLS OR APRON TO AVOID CLOTHING AND SKIN CONTAMINATION. HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:>500F,>260C Vapor Pres:NIL Spec Gravity:1.44 Solubility in Water:INSOLUBLE Appearance and Odor:LIGHT BLUE HIGH VISCOSITY PASTE, VERY SLIGHT CHARACTERISTIC ODOR. Percent Volatiles by Volume:0
Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES AVOID CONTAMINATION WITH ALKALIES, ACIDS, AMINES AND WATER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CARBON MONOXIDE, ALDEHYDES, ACIDS AND OTHER ORGANIC COMPOUNDS. Conditions to Avoid Polymerization:EXOTHERMIC CURE MAY OCCUR WHEN LARGE QUANTITIES ARE MIXED WITH CURING AGENTS (LARGE MIXED BATCHES).

====== Disposal Considerations

Waste Disposal Methods:CONTROLLED INCINERATION OR PUT IN METAL CONTAINERS BEFORE LANDFILL BURIAL. SOLIDIFY BY MIXING WITH A PORTION OF EPOXY RESIN BEFORE LANDFILL BURIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all lia

bility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.