View NSN Online: https://aerobasegroup.kr/nsn/6505-00-153-8220

PLASTODENT INC. -- GLYCERINE, USP, 96% -- 6505-00-153-8220

Product ID:GLYCERINE, USP, 96%

MSDS Date:01/01/1987

FSC:6505

NIIN:00-153-8220

MSDS Number: BMTLN === Responsible Party ===

Company Name: PLASTODENT INC. Address: 2881 MIDDLETOWN RD

City:BRONX State:NY

ZIP:10461-5306 Country:US

Info Phone Num:212-792-3554

Emergency Phone Num:212-792-3554

CAGE:8P273 === Contr

actor Identification ===

Company Name: PLASTODENT INC. Address: 2881 MIDDLETON ROAD

Box:City:BRONX

State:NY

ZIP:10461-3306 Country:US

Phone:212-792-3554

CAGE:8P273

======= Composition/Information on Ingredients ========

Ingred Name: GLYCERIN *

CAS:56-81-5

RTECS #:MA8050000 Fraction by Wt: 96%

Other REC Limits:NONE SPECIFIED OSHA PEL:10 MG/M3 (MIST) *

ACGIH TLV:10 MG/M3 (MIST) 9192

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 4%

Other REC Limits: NONE SPECIFIED

=

======================================
LD50 LC50 Mixture:LD50 (ORAL RAT) IS 12600 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: SLIGHT TRANSIENT IRRITATION. SKIN CONTACT: ESSENTIALLY NON-IRRITATING. SKIN ABSORPTION: NOT LIKELY TO BE ABSORBED THROUGH SKIN. INGESTION: LOW SINGLE AND REPEATED DOES TOXICITY. INHALATION: ACGIH TLV IS 10 MG/M3 AS NUISANCE M IST.
SYSTEMIC & OTHER EFFECTS: IRRITATION. Explanation of Carcinogenicity:THIS CHEMICAL IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:EYE, SKIN, GASTROINTESTINAL & RESPIRATORY TRACT
IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION. EYES: IMMEDIATE LY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH WITH WATER. GET MEDICAL ADVICE IF IRRITATION PERSISTS. INGESTION: INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED & VICTIM IS CONSCIOUS. GET MEDICAL ATTENTION.
=========== Fire Fighting Measures ============
Flash Point Method:PMCC Flash Point:390F,199C Autoignition Temp:Autoignition Temp Text:698F Extinguishing Media:USE WAT ER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILL: WIPE/SOAK UP WITH PAPER TOWEL OR INERT ABSORBENT. PUT IN DISPOSAL CONTAINER. LARGE SPILL: DIKE TO RETAIN

CONTAINERS. Neutralizing Agent:DILUTE WITH WATER.
=========== Handling and Storage =============
Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PRACTICE REASONABLE CARE AND CAUTION. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:MECHANICAL (GENER AL) VENTILATION IS RECOMMENDED TO CONTROL MIST.
Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES. LAUNDER CONTAMINATED CLOTHING BEFORE WEARING. KEEP WORK AREA CLEAN Supplemental Safety and Health NONE
========== Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:340F,171C Melt/Freeze Pt:M.P/F.P Tex t:20.0F,-6.7C Vapor Pres:3 Vapor Density:3.1 Spec Gravity:1.252 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS LIQUID. ODORLESS
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS (SODIUM HYPOCHLORITE, HYPOCHLOROUS ACID) Stability Condition to Avoid:STRONG OXIDIZING AGENTS Hazardous Decomposition Products:ACROLEIN
======= Disposal Considerations ==========
Waste Disp

RUN OFF. VACUUM UP OR PUMP FREE LIQUID INTO DOT SALVAGE

osal Methods:REPROCESS OR INCINERATE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professiona I advice to verify and assume responsibility for the suitability of this information to their particular situation.