View NSN Online: https://aerobasegroup.com/nsn/6850-00-852-6569

CHEMTRONICS INC -- PLAST-N-GLAS C6400 C8400 -- 6850-00-852-6569

Product ID:PLAST-N-GLAS C6400 C8400 MSDS Date:08/01/1991 FSC:6850 NIIN:00-852-6569 MSDS Number: BMTXQ === Responsible Party === **Company Name: CHEMTRONICS INC** Address:8125 COBB CENTER ROAD City:KENNESAW State:GA ZIP:30144 Country:US Info Phone Num:404-424-4267 Emergency Phone Num:404-424-4888(800-424-9300 CHEMTREC) Preparer's Name:M. WATKINS CAGE:2M589 === Contractor Identification === Company Name: CHEMTRONICS INC Address:8125 COBB CENTER DRIVE Box:City:KENNESAW State:GA ZIP:30152 Country:US Phone:770-424-4888/800-645-5244 CAGE:21267 Company Name: CHEMTRONICS INC (CANCELLED USE 21267) City:HAUPPAUGE State:NY ZIP:11760 Country:US CAGE:2M589

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Other REC Li mits:NONE SPECIFIED OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: CHLORODIFLUOROMETHANE CAS:75-45-6 RTECS #:PA6390000 Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000PPM; 9192 Ozone Depleting Chemical:2 Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic: ACUTE: OVEREXPOSURE MAY LEAD TO CNS DEPRESSION. EYE: MAY LEAD TO IRRITATION AND CAN INJURE EYE TISSUE. SKIN: DEFATTING. INGESTION: IRRITATION OF GI TRACT. CHRONIC: PROLONGED EXPOSURE CAN BE IRRITATING TO MUCOUS MEMBRANES. Explanation of Carcinogenicity: ISOPROPYL ALCOHOL IS LISTED BY IARC, NTP. Effects of Overexposure: INHALATION: HEART IRREGULARITIES, HEADACHE, DIZZINESS, STUPOR, COUGHING, WHEEZING, GIDDINESS. EYES: REDNESS, TEARING. SKIN: DRY SKIN, REDNESS, RASH. INGESTION: NAUSEA, VOMITING. Medical Cond Aggravated by Exposure: PERSONS WITH SKIN, HEART, RESPIRATORY, OR ANY OTHER MEDICAL CONDITION SHOULD USE CAUTION WHEN HANDLING OR USING THIS PRODUCT. First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION AS REQUIRED. INHALATION: IMMEDIATELY REMOVE VICTIM TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. GE T PROMPT MEDICAL ATTENTION. EYE: IMMEDIATELY FLUS H WITH WATER FOR 20 MINUTES WITH EYELIDS HELD OPEN. GET PROMPT MEDICAL ATTENTION. INGESTION: GET PROMPT MEDICAL ATTENTION. DO NOT INDUCE VOMITING.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explos

ion Hazard:FIRE EXPOSED AEROSOL CANS MAY EXPLODE. COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
======================================
Spill Release Procedures: VENTILATE AREA. REMOVE SOURCES OF IGNITION. ABSORB MATERIAL WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR LATER DISPOSAL.
Neutralizing Agent:DILUTE WITH WATER
======================================
Handling and Storage Pr ecautions:DO NOT STORE NEAR SOURCES OF HEAT, IN DIRECT SUNLIGHT, OR WHERE TEMPERATURES EXCEED 120F. DO NOT PUNCTURE OR DAMAGE CONTAINERS. ROTATE STOCK. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
======================================
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:MECHANICAL(GENERAL) EXHAUST RECOMMENDED. NO SPECIAL VENTILATION IS USUALLY REQUIRED TO MEET EXPOSURE STANDARDS. Protective Gloves:RUBBER
Eye Protection:CHEMI CAL SPLASH GOGGLES &/OR FACESHIELD Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:WASH HANDS BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES. WASH CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health MFGR SAYS PRODUCT IN 8 OZ AEROSOL CANS; TOTAL ITEM RECORD SAYS QUART CANS??!!
======================================

HCC:V2 Boiling Pt:=97.2C, 207.F Vapor Pres:760MM@20F Vapor Density:>1(AIR=1) Spe c Gravity:0.95 Evaporation Rate & Reference: