

COULTER ELECTRONICS INC. -- ISOTON II DILUENT (10L) -- 6550-01-023-6747

=====
Product Identification
=====

Product ID:ISOTON II DILUENT (10L)

MSDS Date:01/08/1990

FSC:6550

NIIN:01-023-6747

MSDS Number: BMTYG

=== Responsible Party ===

Company Name:COULTER ELECTRONICS INC.

Address:860 W 84TH. ST.

City:HIALEAH

State:FL

ZIP:33014-3519

Country:US

Info Phone Num:305-885-0131

Emergency Phone Num:800-424

-9300

CAGE:5Z189

=== Contractor Identification ===

Company Name:COULTER ELECTRONICS INC.

Address:860 W 84TH. ST.

Box:City:HIALEAH

State:FL

ZIP:33014-3519

Country:US

Phone:800-424-9300

CAGE:5Z189

Company Name:CURTIN MATHESON SCIENTIFIC INC

Address:621 CELESTE ST

Box:53387

City:NEW ORLEANS

State:LA

ZIP:70153

Country:US

CAGE:8C741

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL PHENYL ETHER

CAS:122-99-6

RTECS #:KM0350000

Fraction by Wt: 0.30%

Other

REC Limits:NONE SPECIFIED

Ingred Name:SODIUM FLUORIDE (SARA III)

CAS:7681-49-4

RTECS #:WB0350000

Fraction by Wt: 0.03%

Other REC Limits:NONE SPECIFIED

OSHA PEL:2.5 PPM F

ACGIH TLV:2.5 MG F/M3; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50: NONE GIVEN BY MANUFACTURE

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MANUFACTURER GIVE NO STATEMENT ON
H

EALTH HAZARDS. THE FOLLOWING RATING IS GIVEN FOR SAFETY:2-HEALTH;
0-FLAMMABILITY; 1-REACTIVITY; 1-CONTACT. CODE FOR RATING: 0-NONE;
1-SLIGHT; 2- CAUTION; 3-SEVERE.

Effects of Overexposure:NONE STATED BY THE MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE STATED BY THE MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:NONE STATED BY THE MANUFACTURER.

=====
===== Fire Fighting Measures =====

Extinguishing Med

ia:NONE STATED BY THE MANUFACTURER

Fire Fighting Procedures:NONE STATED BY THE MANUFACTURER.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER TO APPROVED OUTSIDE DRAINAGE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE STANDARD LABORATORY PRACTICE, SUCH
A

S LAB. COATS AND SAFETY GLASSES. NO SPECIAL PRECAUTIONS FOR STORAGE OR HANDLING.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:NONE REQUIRED

Protective Gloves:NONE STATED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:USE STANDARD LABORATORY PRACTICE SUCH AS LAB. COATS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE STATED BY THE MANUFACTURER.

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1

Solubility in Water:APPRECIABLE

Appearance and Odor:CLEAR LIQUID

=====
===== Stability and Reactivity Data =====

NONE STATED BY THE MANUFACTURER.

Stability Condition to Avoid:NONE STATED BY THE MANUFACTURER

Hazardous Decomposition Products:POSSIBLE FLUORIDE SCALE

=====
===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSER MUST COMPLY WITH FEDERAL, STATE, AND LOCAL DISCHARGE REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate

and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.