

TEXACO INC -- 01648 RANDO OIL 32 -- 9150-01-003-8941

=====
Product Identification
=====

Product ID:01648 RANDO OIL 32

MSDS Date:05/25/1990

FSC:9150

NIIN:01-003-8941

MSDS Number: BMWKF

=== Responsible Party ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Emergency Phone Num:914-831-3400 EXT 204

CAGE:7B131

=== Contractor Identification ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

Company Name:TEXAS INSTRUMENTS INC INFORMATION TECHNOLOGY GROUP

Address:14902 SOMMERMEYER ST NO 100

Box:1444

City:HOUSTON

State:TX

ZIP:77251

Country:US

Phone:800-336-5236

CAGE:06668

=====
Composition/Information on Ingredients
=====

Ingrid Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE
PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ

Other REC Limits:NONE SPECIFIED

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SHORT TERM: BELIEVED TO BE MINIMALLY IRRITATING TO SKIN AND EYES, AND RESPIRATORY SYSTEM. LONG TERM: DISTILLATES CAUSE SKIN CANCER AND KIDNEY DAMAGE.
Effects of Overexposure:IRRITATION AS NOTED IN HEALTH HAZARDS SECTION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER. SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. INHALATION AND INGESTION: NONE NORMALLY REQUIRED.

=====
Fire Fighting Measures
=====

Flash Point:385F,196C
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE.
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILL, IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP.
Neutralizing Agent:NONE

=====
Handling and Storage
=====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERARUTES SHOULD BE MINIMUZED. AVOID WATER CONTAMINATION.
Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:USE ADEQUATE VENTILATION TO MEET PERMISSIBLE CONCENTRATIONS.
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:CHEMICAL TYPE GOGGLES OR FACE SHIELD
Other Protective Equipment:NONE
Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.
Supplemental Safety and Health
NONE

=====
Physical/Chemical Properties
=====

HCC:V6

Spec Gravity:0.8708

Solubility in Water:NOT DETERMINED

Appearance and Odor:PALE LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
ALDEHYDES AND KETONES, COMBUSTION PRODUCTS OF NITROGEN AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT HAS BEEN EVALUATED FOR RCRA
CHA

CHARACTERISTICS AND DOES NOT MEET CRITERIA OF A HAZARDOUS WASTE IF
DISCARDED IN ITS PURCHASED FORM. DISPOSE OF IN ACCORDANCE WITH
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person

utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.