

CONCORDE BATTERY CORP -- RG5-1 BATTERY,ELECTRIC STORAGE,WET,NONSPILL --
6140-01-266-1633

===== Product Identification =====

Product ID:RG5-1 BATTERY,ELECTRIC STORAGE,WET,NONSPILL

MSDS Date:05/20/1992

FSC:6140

NIIN:01-266-1633

MSDS Number: BMXCT

=== Responsible Party ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Info Phone

Num:800-255-3924

Emergency Phone Num:818-813-1234

CAGE:63017

=== Contractor Identification ===

Company Name:CONCORDE BATTERY CORP

Address:2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006

Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

===== Composition/Information on Ingredients =====

Ingred Name:LITHARGE (LEAD MONOXIDE OR LEAD OXIDE YELLOW),(FOR OSHA PEL
SEE 29CFR 1910.1025)

CAS:1317-36-8

RTECS #:OG1750000

Fraction by Wt: 60%

Other REC Limits:NO

NE SPECIFIED
OSHA PEL:0.05 MG/M3 (PB)
ACGIH TLV:0.15 MG/M3; 8990

Ingred Name:LEAD (SARA III)
CAS:7439-92-1
RTECS #:OF7525000
Fraction by Wt: 38.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:SULFURIC ACID (SARA III)
CAS:7664-93-9
RTECS #:WS5600000
Fraction by Wt: 0.006%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:MANUFACTURER STATES THIS PRODUCT IS A NONSPILLABLE BATTERY. THE TOXICOLOGICAL CHARACTERISTICS OF THIS PRODUCT DO NOT CORRESPOND WITH THE TOXICOLOGICAL DEFINITIONS OF A HAZARDOUS PRODUCT AS ADOPTED BY THE DEPARTMENT OF LABOR FOR USE WITH THE MATERIAL SAFETY DATA SHEETS OF THE OCCUPATIONAL SAFETY AND HEALTH ACT.

===== Fire Fighting Measures =====

Extinguishing Media:NON-FLAMMABLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:THIS PRODUCT IS SEALED AND NONSPILLABLE, AND IS TO BE PACKAGED ACCORDING TO 49CFR 173.260D. NO LEAKAGE OF BATTERY FLUID IS EXPECTED UNDER NORMAL CONDITIONS AND TRANSPORTATION.

===== Handling and Storage =====

Handling and Storage Precautions:IN THE CASE OF AN ACCIDENT

THAT
DAMAGES AND OPENS THE CONTAINER, PROTECTIVE GLOVES WILL BE REQUIRED
TO HANDL ANY EXPOSED MATERIAL.

===== Exposure Controls/Personal Protection =====

Protective Gloves:NONE NORMALLY REQUIRED.

Supplemental Safety and Health

PROPOSITION 65 WARNING: LEAD AND ITS COMPOUNDS ARE CHEMICALS KNOWN TO
CAUSE REPRODUCTIVE HARM TO BOTH MALES AND FEMALES AND TO CAUSE
BIRTH DEFECTS.

===== Physical/Chemical Properties =====

HCC:Z4

Appearance

and Odor:BATTERY IN SEALED NON-SPILLABLE CASE.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR LOCAL ENVIRONMENTAL OFFICER.

DISPOSE OF IN COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND
LOCAL REGULATIONS FOR LEAD ACID BATTERIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner wha
tsoever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.