View NSN Online: https://aerobasegroup.kr/nsn/6665-01-300-9305

GASTECH INC. JOHNSON INSTRUMENT DIV -- ELECTROLYTE, GAS SENSOR -- 6665-01-300-9305

============ Product Identification ===============

Product ID:ELECTROLYTE, GAS SENSOR

MSDS Date: 10/25/1993

FSC:6665

NIIN:01-300-9305

MSDS Number: BMXDQ === Responsible Party ===

Company Name: GASTECH INC. JOHNSON INSTRUMENT DIV

Address:8445 CENTRAL AVE

City:NEWARK State:CA

ZIP:94560-3431 Country:US

Info Phone Num:510-794-6200

Emerge

ncy Phone Num:510-794-6200

CAGE:NO387

=== Contractor Identification ===

Company Name: AERIFORM INSTRUMENTS INC Address: 1400 BATTLEGROUND AVE, SUITE 132

Box:City:GREENSBORO

State:NC

ZIP:27417-0160

Country:US

Phone:910-691-0333

CAGE:0WK23

Company Name: GAS TECH INC. JOHNSON INSTRUMENT DIV

Address:8445 CENTRAL AVE

Box:City:NEWARK

State:CA

ZIP:94560-3431

Country:US

Phone:510-794-6200

CAGE:51906

Company Name: GASTECH INC. JOHNSON INSTRUMENT DIV

Address:8445 CENTRAL AVE

Box:City:NEWARK


State:CA ZIP:94560

-3431 Country:US Phone:510-794-6200 CAGE:NO387 Company Name:MAJOR SAFETY SERVICE Address:4500 PATENT RD Box:City:NORFOLK State:VA ZIP:23502-5605 Country:US Phone:804-855-2088 CAGE:3P443
======= Composition/Information on Ingredients ========
Ingred Name:SULFURIC ACID (SARA 302/313) (CERCLA) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 40% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/3 STEL; 9495 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES, NOSE, & THROAT, IRRITATION, BRONCHITIS, CONJUNCTIVITIS, STOMATITIS, DENTAL EROSION SKIN & EYE BURNS, DERMATIITS, MAY BE FATAL IF INGESTED. CHRONIC-PULMONARY EDEMA, EMPHYSEMA.  Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARC INOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE
CARCINOGENIC.

Effects of Overexposure: EYES, NOSE, & THROAT, IRRITATION, BRONCHITIS, CONJUNCTIVITIS, STOMATITIS, DENTAL EROSION, SKIN & EYE BURNS, DERMATIITS, MAY BE FATAL IF INGESTED.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

First Aid:EYE:IMMEDIATELY FLUSH W/WATER FOR 15 MIN. CALL PHYSICIAN. SKIN:IMMEDIATELY FLUSH W/WATER



ILY LIQUID, ODORLESS	
======== Stability and Reactivity Data ==========	
Stability Indicator/Materials to Avoid:YES	
ORGANIC MATERIALS, CHLORATES, CARBIDES, FULMINATES, POWDER MOISTURE.	ED METALS,
Stability Condition to Avoid:REACTS EXOTHERMIC W/WATER, CORROSIVE ORGANIC MATERIALS.	ТО
Hazardous Decomposition Products:OXIDES OF SULFUR Conditions to Avoid Polymerization:WILL NOT OCCUR.	

======= Disposal Considerations ===========

Waste Disposal Metho ds:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and ass

ume responsibility for the suitability of this information to their particular situation.