

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL -- 8030-00-408-1137

=====
Product Identification
=====

Product ID:F-900 TORQUE SEAL

MSDS Date:01/05/1991

FSC:8030

NIIN:00-408-1137

MSDS Number: BMZDN

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-7321

Emergency Phone Num:214-438-7321

C

AGE:01195

=== Contractor Identification ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANOL

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 60%

Other REC Limits:NONE SPECI

FIED
OSHA PEL:S,200PPM/250STEL
ACGIH TLV:S,200PPM/250STEL; 93
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 40%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:1000 PPM

=====
===== Hazards Identification =====

Effects of Overexposure:MINOR IRRITATION FROM PROLONGED BREATHING.
MINOR IRRITATION TO SKIN AND EYES. NAUSEA, VOMITING IF SWALLOWED.

=====
===== First Aid Measures =====
===

First Aid:REMOVE TO FRESH AIR. WASH AFFECTED AREAS WITH WATER. IF
SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:109F,43C
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES.
ALCOHOL FOAM FOR LARGE FIRES.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH
FULL FACE PIECE WITH PRESSURE DEMAND.
Unusual Fire/Explosion Hazard:VAPOR HEAVIER THAN AIR,
KEEP AWAY FROM
PILOT-LIGHTS, LIGHTS, FLAMES, SPARKS, HEATERS AND SMOKERS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND
TRANSFER TO HOOD. ELIMINATE ALL IGNITION SOURCES DESTROY REMAINING
MATERIAL BY INCINERATION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGG

LES. PROTECTIVE
EQUIPMENT TO PREVENT PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves: YES; NEOPRENE
Eye Protection: SAFETY GOGGLES
Other Protective Equipment: SAFETY SHOWER AND EYE BATH.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: F4
Boiling Pt: B.P. Text: 150F, 66C
Vapor Pres: 42.00
Solubility in Water: NONE
Appearance and Odor: HEAVY THICK PASTE. ALCOHOL ODOR.
Percent Volatiles by Volume: 50

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
Stability Condition to Avoid: AVOID HEAD, SPARKS, FIRES.
Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN FURNANCE, OR BY LIQUID
INCINERATION. DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL,
STATE, AND FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to

their
particular situation.