

ABLESTIK LABORATORIES -- ABLEBOND 862-2 -- 8040-01-151-5439

===== Product Identification =====

Product ID:ABLEBOND 862-2

MSDS Date:01/18/1988

FSC:8040

NIIN:01-151-5439

MSDS Number: BNCKM

=== Responsible Party ===

Company Name:ABLESTIK LABORATORIES

Address:833 WEST 182ND ST.

City:GARDENA

State:CA

ZIP:90248

Country:US

Info Phone Num:213-532-9341

Emergency Phone Num:213-532-9341

CAGE:9V874

=== Contra

ctor Identification ===

Company Name:ABLESTIK LABS

Address:833 WEST 182ND ST

Box:9067

City:GARDENA

State:CA

ZIP:90248

Country:US

Phone:213-532-9341

CAGE:9V874

Company Name:ABLESTIK LABS SUB OF NATIONAL STARCH AND CHEMICAL

Address:20021 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-764-4600

CAGE:21109

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

===== Hazards Iden

tification =====

LD50 LC50 Mixture:N/K **CURING OVEN TO OUTDOORS.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:ACUTE: SEE SYMPTOMS OF OVEREXPOSURE.
CHRONIC: UNKNOWN.

Effects of Overexposure:INHAL: VAPORS MAY BE IRRITATING TO THE
RESPIRATORY SYSTEM. SKIN: MAY CAUSE SKIN IRRITATION UPON PROLONGED
CONTACT. MAY CAUSE SKIN SENSITIZATION IN CERTAIN SUSCEPTABLE
INDIVIDUALS. EYE: EXTREMELY IRRITATING TO THE EYES UPON DIRECT
CONTACT. MAY CAUSE PERMANENT EYE DAMAGE. INGEST: CAN CAUSE
GASTROINTESTINAL IRRITATION.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL
ATTENTION. SKIN: WASH IMMEDIATELY WITH SOAP AND WATER. IF
IRRITATION PERSISTS, SEEK MEDICAL ATTENTION IMMEDIATELY.
INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. INGESTION: SEEK
MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200 F

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP WITH SOLVENT SATURATED TOWELING AND
COLLECT IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE FROZEN AT ALL TIMES.

Other Precautions:AVOID CONTACT WITH SKIN, EYES AND CLOTHING. GOOD
HOUSEKEEPING IS REQUIRED. AVOID INHALATION OF VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR IF
NEEDED.

Ventilation:USE ADEQUATE VENTILATION. LOCAL EXHAUST IS RECOMMENDED WHEN
APPROPRIATE TO CONTROL EMPLOYEES EXPOSURE.

Protective Gloves:RUBBER.

Eye Protection:SAFETY GOGGLES WITH SIDE SHIELDS.

Other Pro

Protective Equipment:PROTECTIVE EQUIPMENT TO COVER EXPOSED AREAS.

Work Hygienic Practices:VENT CURING OVER TO OUTDOORS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:1.2

Solubility in Water:INSOLUBLE

Appearance and Odor:AMBER PASTE; SLIGHT AMMONIACAL ODOR.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stabili

ty Condition to Avoid:HEAT PRIOR TO CURE.

Hazardous Decomposition Products:CARBON MONOXIDE, NITROGEN CONTAINING COMPOUNDS.

Conditions to Avoid Polymerization:EXCESS HEAT. IF PROD NOT USED FOR THIN BOND LINE APPLICATION, VIOLENT CHEM REACT. USE PROD W/CAUTION UPON CURING. VENT**

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN APPROVED CHEMICAL DISPOSAL AREA OR IN A MANNER WHICH COMPLIES WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.