

LOCTITE CORP -- GRADE A SEALANT,8841

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 00-067-6744
MSDS Date: 01/07/1992
MSDS Num: BNKNT
Product ID: GRADE A SEALANT,8841
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MOUNTAIN ROAD
City: NEWINGTON CT 06111-1411
Inf
o Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEVEN REPETTO
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 61603
Name: HERNON MANUFACTURING
Address: 121 TECH DRIVE
City: SANFORD FL 32771
Phone: 407-322-4000/800-255-3924
Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE C
ORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Type/Grade/Class: GRADE A
Unit of Issue: BT
Quantitative Expression: 00000000250CC
UI Container Qty: M
Type of Container: PLASTIC

=====
Ingredients
=====

=====
Cas: 25852-47-5
Name: POLYGLYCOL DIMETHACRYLATE
% Wt: 90-95
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

RTECS #: MX2450000
Name: CUMENE HYDROPEROXIDE (1-METHYK-1-PHENYLETHYL HYDROPEROXIDE) (SARA III)
% Wt: 5-7
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

Cas: 102-82-9
RTECS #: YA0350000
Name: TRIBUTYLAMINE
% Wt:
1-3
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
=====

=====
Health Hazards Data
=====

LD50 LC50 Mixture: ESTIMATED ORAL LD50 >5000 MG/KG
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
Signs And Symptions O
f Overexposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.
First Aid: EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION.
SKIN: FLUSH WITH WATER. INHALATION: DOES NOT APPLY. INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MEDICAL ATTENTION.
=====

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATE IF PERMITTED.
Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF-LIFE.
Other Precautions: AVOID PROLONGED SKIN CONTACT.

=====
=====

Fire and Explosion Hazard Information

=====
Flash Point Method: TCC
Flash Point Text: >200F,>93C
Lower Limits: 0.8
Upper Limits: 6.4
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.
Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====
Control Measures

=====
Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.
Ventilation: NOT NECESSARY.
Protective Gloves: RUBBER OR PLASTIC GLOVES RECOMMENDED.
Eye Protection: SAFETY GLASSES OR GOGGLES RECOMMENDED.
Other Protective Equipment: NONE.
Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING.

=====
Physical/Chemical Properties

=====
HCC: N1
B.P. Text: >30
OF,>149C
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: < 5 @ 80 F
Vapor Density: UNKNOWN
Spec Gravity: 1.071 @ 80 F
Evaporation Rate & Reference: UNKNOWN
Solubility in Water: SLIGHT
Appearance and Odor: RED LIQUID. MILD ODOR.
Percent Volatiles by Volume: 21.9
Corrosion Rate: UNKNOWN

=====
Reactivity Data

=====
Stability Indicator: YES
Stability Condition To Avoid: EXCESS HEAT.

Materials To Avoid: NONE
Hazardous Decomposition Products: NONE (NON-THERMAL).
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 7K128
Trans ID NO: 45756
Product ID: GRADE A SEALANT,8841
MSDS Prepared Date: 01/07/1992
Review Date: 07/23/1992
MFN: 1
Net Unit Weight: 250 CC
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: BT
Container QTY: M
Type Of Container: PLASTIC

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail

AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: GRADE A SEALANT,8841

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 07/2
3/1992

Status Code: C

Label Date: 07/23/1992

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: None

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE
INDIVIDUALS. STORE BELOW 110F TO PRESERVE SHELF-LIFE. FIRST AID: EYES: FLUSH
WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: FLUSH WITH WATER.
INHALATION: DOES NOT APPLY. INGESTION: D

O NOT INDUCE VOMITING. KEEP
INDIVIDUAL CALM. GET MEDICAL ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Departmen

t of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.