

UNITED STATES TRADING CORPORATION -- WRIGHT-GIEMSA STAINING SOLUTION --  
6550-00-926-9084

===== Product Identification =====

Product ID:WRIGHT-GIEMSA STAINING SOLUTION

MSDS Date:01/01/1987

FSC:6550

NIIN:00-926-9084

MSDS Number: BNKRC

=== Responsible Party ===

Company Name:UNITED STATES TRADING CORPORATION

Address:10718 MC CUNNE AVENUE

City:LOS ANGELES

State:CA

ZIP:90034-6292

Country:US

Info Phone N

um:310-558-4666

Emergency Phone Num:310-558-4666

Preparer's Name:DGSC-SSH

CAGE:65701

=== Contractor Identification ===

Company Name:UNITED STATES TRADING CORP

Address:10718 MCCUNE AVE

Box:City:LOS ANGELES

State:CA

ZIP:90034-6292

Country:US

Phone:800-588-4666

CAGE:65701

===== Composition/Information on Ingredients =====

Ingred Name:WRIGHT'S STAIN

CAS:68988-92-1

Fraction by Wt: 0-1%

Other REC Limits:NONE SPECIFIED

Ingred Name:GIEMSA STAIN

CAS:51811-82-6

Fraction by Wt: 0-1%

Ot

her REC Limits:NONE SPECIFIED

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 90-100%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50(ORAL RAT) 5628 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazard

ds Acute and Chronic:VAPORS MAY BE IRRITATING TO SKIN,  
EYES, NOSE AND THROAT. LIQUID MAY CAUSE DERMATITIS. INHALE:MAY BE  
HARMFUL OR FATAL. INGEST:MAY CAUSE BLINDNESS.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS

CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, MAY BE FATAL  
OR CAUSE BLINDNESS IF SWALLOWED.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures

=====

First Aid:INGESTION: IF CONSCIOUS, IMMEDIATELY INDUCE VOMITING.

INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL  
RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN. GET MEDICAL  
ATTENTION.

===== Fire Fighting Measures =====

Flash Point:11C 51F

Lower Limits:7.3 %

Upper Limits:36 %

Extinguishing Media:USE ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE.  
WATER MAY BE INEFFECTIVE.

Fire Fighting Procedures:WEA

R PROPER PROT EQUIP AND SCBA W/FULL  
FACEPIECE OPERATED IN POS PRESS MODE.MOVE CONTR FROM FIRE AREA IF  
CAN BE DONE W/O RISK.USE WATER TO KEEP CONTR COOL  
Unusual Fire/Explosion Hazard:VAPORS MAY FLOW ALONG SURFACES TO DISTANT  
IGNIT SOURCES & FLASH BACK.CLOSED CONTR EXPOSED TO HEAT MAY  
EXPLODE.CONTACT WITH STRONG OXIDIZERS MAY CAUSE FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING. SHUT OFF

IGNITION SOURCES; NO FLARES, SMOKING/FLAMES IN AREA. STOP LEAK IF  
CAN BE DONE W/O RISK. USE WATER SPRAY TO REDUCE VAPORS. FLUSH  
W/WATER.

Neutralizing Agent:NONE KNOWN.

===== Handling and Storage =====

Handling and Storage Precautions:BOND AND GROUND CONTAINERS WHEN  
TRANSFERRING LIQUID. KEEP CONTAINER TIGHTLY CLOSED. STORE IN A  
COOL, DRY, WELL-VENTED, FLAMMABLE LIQUID STORAGE AREA.

Other Precautions:NONE KNOWN.

===== Exposure Controls  
/Personal Protection =====

Respiratory Protection:REQUIRED IF AIRBORNE CONCENTRATION EXCEEDS TLV.  
AT CONCENTRATIONS ABOVE 100 PPM, A SCBA IS ADVISED.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENT TO MEET TLV REQUIREMENTS

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GOGGLES AND FACE SHIELD

Other Protective Equipment:UNIFORM, PROTECTIVE SUIT

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety  
and Health

MSDS PREPARED BY DGSC-SSH AFTER REPEATED CONTACT WITH COMPANY NO MSDS  
WAS SUPPLIED.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:65C 149F

Melt/Freeze Pt:M.P/F.P Text:-144F,-98C

Vapor Pres:96

Vapor Density:1.1

Spec Gravity:0.80

Evaporation Rate & Reference:4.6

Solubility in Water:COMPLETE

Appearance and Odor:LIGHT GREEN-GRAY SOLUTION

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

=

Stability Indicator/Materials to Avoid: YES

NONE KNOWN.

Stability Condition to Avoid: HEAT, FLAME, OTHER SOURCES OF IGNITION.

Hazardous Decomposition Products: NONE KNOWN.

===== Disposal Considerations =====

Waste Disposal Methods: TAKE UP W/ SAND OR OTHER NON-COMBUSTIBLE  
ABSORBENT MATERIAL AND PLACE INTO CONTAINER FOR DISPOSAL. DISPOSE  
IN ACCORD W/ FED, STATE, AND LOCAL ENVIRON REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.