

NAVAL MINE WARFARE ENGINEERING ACTIVITY -- DISCHARGED BATTERY ALKALINE, MK106-0 --  
6135-00-008-5342

===== Product Identification =====

Product ID:DISCHARGED BATTERY ALKALINE, MK106-0  
MSDS Date:02/08/1991  
FSC:6135  
NIIN:00-008-5342  
MSDS Number: BNMMC  
=== Responsible Party ===  
Company Name:NAVAL MINE WARFARE ENGINEERING ACTIVITY  
Address:CODE 60 BUILDING 1959  
City:YORKTOWN  
State:VA  
ZIP:23691-5076  
Country:US  
Info Phone Num:804-887-4930  
Emergency Phone Num:804-887-4930  
Preparer's Name:ANN ALLEN  
CAGE:30265  
=== Contractor Identification ===  
Company Name:HOECHST CELANESE CHEM GROUP  
Box:City:DALLAS  
State:TX  
ZIP:75356-9320  
Country:US  
Phone:214-689-4000  
CAGE:10001  
Company Name:NAVAL MINE WARFARE ENGINEERING ACTIVITY  
Address:CODE 60 BUILDING 1959  
Box:City:YORKTOWN  
State:VA  
ZIP:23691-5076  
Country:US  
Phone:804-887-4930  
CAGE:30265

===== Composition/Information on Ingredients =====

In

gred Name:MERCURY  
CAS:7439-97-6  
RTECS #:OV4550000  
Fraction by Wt: 0.01%  
OSHA PEL:0.1 MG/M3, S, C  
ACGIH TLV:0.05 MG/M3, S  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:MAGANESE  
CAS:7439-96-5  
RTECS #:OO9275000  
Other REC Limits:1 MG/M3 FUME; 3 STEL  
OSHA PEL:(C) 5 MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:POTASSIUM HYDROXIDE  
CAS:1310-58-3  
RTECS #:TT2100000  
Fraction by Wt: 10%  
OSHA PEL:2 MG/M3, C  
ACGIH TLV:2 MG/M3, C  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:MANGANESE DIOXIDE  
CAS:1313-13-9  
RTECS #:OP0350000  
Fraction by Wt: 10%  
OSHA PEL:5 MG/M3 CEILING (MN)  
ACGIH TLV:5 MG/M3 (AS MN DUST)

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3

Ingred Name:GRAPHITE  
CAS:7782-42-5  
RTECS #:MD9659600  
Fraction by Wt: 5%  
Other REC Limits:15 MPPCF (MFR)  
OSHA PEL:15 MPPCF RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:ZINC OXIDE  
CAS:1314-13-2  
RTECS #:ZN4810000  
Other REC Limits:5 MG/M3, C  
OSHA PEL:15MG/M3 TDUST/5 FUME  
ACGIH TLV:10MG/M3

=====  
===== Hazards Identification =====  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:IN FIRE SITUATION CELLS MAY RELEASE  
HAZ SUBSTANCES. ACUTE: INHAL: MAY CAUSE IRRITATION OR METAL FUME  
FEVER IN FIRE SITUATION. INGEST: INGREDIENTS ARE POISONOUS.  
CONTACT: MATERIALS MAY CAUSE SKIN OR EYE IRRITATION  
BY VAPOR OR  
DIRECT CONTACT. CHRONIC: NOT LIKELY UNDER NORMAL USE. MERCURY IS AN  
(EFFECTS OF OVEREXPOSURE)  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:HEALTH HAZ: EXPERIMENTAL TERATOGEN, GI & CNS  
POISON. MANGANESE IS AN EXPERIMENTAL TERATOGEN & MUTAGEN. ZINC  
OXIDE IS HUMAN PULMONARY DISEASE PRODUCER.  
Medical Conditions Aggravated by Exposure:RESPIRATORY INFECTIONS AND  
DISEASES. SKIN DISEASES.

=====  
===== First Aid Measures =====  
=====

First Aid:  
Inhalation:REMOVE TO FRESH AIR, USE ARTIFICIAL RESPIRATION IF NEEDED. SEEK MEDICAL ATTENTION. EYES:FLUSH @ LEAST 15 MIN WITH FRESH RUNNING WATER, OCCASIONALLY LIFTING UPPER & LOWER LID. SEEK MEDICAL ATTENTION. SKIN:THOROUGHLY WASH AFFECTED AREA UNTIL NO TRACE OF MATERIAL REMAINS. INGESTION:NOT LIKELY UNDER NORMAL USE. IF INGESTION SHOULD OCCUR, GET IMMEDIATE MEDICAL ATTENTION. DRINK LARGE QUANTITY OF WATER. EXPOSURE IN FIRE:REMOVE VICTIM FROM FIRE HAZARD AREA TO FRESH AIR. SEEK MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point:NOT KNOWN  
Extinguishing Media:IN BULK STORAGE USE CARBON DIOXIDE, FOAM OR DRY POWDER. WATER MAY CAUSE ELECTRICAL SHORTS.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT TO AVOID INHALATION AND CONTACT WITH HAZARDOUS DECOMPOSITION PRODUCTS.  
Unusual Fire/Explosion Hazard:CELLS MAY RUPTURE WHEN EXPOSED TO EXCESSIVE HEAT.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:BATTERIES ARE DRY SOLID & CAN BE

HNDLD EASILY

W/SHOVELS/SIMILAR EQUIP. WHEN ACCUMULATING LG QTY OF UNDISCHARGED BATTERIES FOR DISP PACK IN NON-CONDUCTIVE INSULATING MATL. AVOID HEAT & H\*2O. USE RUB GL OVES FOR CLEANING UP SPILLS/HNDLG (SUPPDATA)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE UNPACKAGED CELLS TOGETHER SO CONTACTS CAN TOUCH. THIS SITUATION WILL RESULT IN CELL SHORTING AND HEAT BUILD-UP.

Other Precautions:DO NOT CHARGE, OVERHEAT (>160F), OR OPEN CELLS. AVOID CONTACT WITH WATER, SPARKS, OPEN FLAMES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED UNDER NORMAL USE. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE NEEDED UNDER NORMAL USE.

Protective Gloves:NONE REQ UNDER NORM USE. RUBB(SUPP DATA)

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipm

ent:NONE REQUIRED UNDER NORMAL USE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SPILL PROC:INTERNAL PARTS OF CELLS. USE ADEQUATE VENTILATION AND AVOID CONTACT OF CELL INTERNAL COMPONENTS WITH SKIN OR EYES. PROT GLOVES: GLOVES FOR HANDLING INTERNAL COMPONENTS .

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C

Vapor Density:>1

Spec Gravity:>1

Evaporation Rate & Reference:+1

Solubility in W

ater:NEGLIGIBLE

Appearance and Odor:BLACK SOLID GRANULES W/NO APPRECIABLE ODOR, ENCASED IN BATTERY ASSEMBLY.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

KEEP AWAY FROM WATER.

Stability Condition to Avoid:EXCESSIVE HEAT AND FIRE (HEATING ABOVE 160F), CHARGING.

Hazardous Decomposition Products:IN FIRE SITUATION, MERCURY VAP, MANGANESE & ZINC OXIDE FUMES MAY BE EMITTED.

=====  
===== Disposal Considerations ==

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL REGULATIONS. DISPOSAL BY LANDFILL MAY BE PROHIBITED IN SOME AREAS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.