View NSN Online: https://aerobasegroup.kr/nsn/6750-00-165-7187

EASTMAN KODAK CO. -- 199 7873 VERSAMAT 885 FIXER & REPLENISHER, -- 6750-00-165-7187

============= Product Identification ========================

Product ID:199 7873 VERSAMAT 885 FIXER & REPLENISHER,

MSDS Date:10/03/1991

FSC:6750

NIIN:00-165-7187

Kit Part:Y

MSDS Number: BNPZP === Responsible Party ===

Company Name: EASTMAN KODAK CO.

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-722-

5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000 Fraction by Wt: 40-45%

Other REC Limits: NONE ESTABLISHED

Ingred Name:SODIUM BISULFITE (SASA III)

CAS

:7631-90-5

RTECS #:VZ2000000 Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM ACETATE

CAS:126-96-5

RTECS #:AJ4375000 Fraction by Wt: 1-5%

Other REC Limits: NONE ESTABLISHED

OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 1-5% OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5

000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 35-45%

Ingred Name: SODIUM TETRABORATE, DECAHYDRATE

CAS:1303-96-4

RTECS #:VZ2275000 Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3; 9192

========= Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALED: LOW HAZARD FOR RECOMMEN

DED

HANDLING. EYES: NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE LOW INGESTED HAZARD.

Explanation of Carcinogenicity:NO INFORMATION GIVEN ON MSDS BY SUPPLIER Effects of Overexposure:INHALED: LOW HAZARD FOR RECOMMENDED HANDLING. EYES: NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE LOW INGESTED HAZARD.

Medical Cond

Aggravated by Exposure:SUPPLIER DID NOT ADDRESS THIS

First Aid:INHALED: REMOVE TO FRESH AIR. EYES:IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION. SKIN:WASH AFTER EACH CONTACT. INGESTION:IF SWALLOWED, GIVE 1-2 GLASSES OF WAT ER. SEEK MED ATTENTION.

=========== Fire Fighting Measures ==============

Flash Point: NON-FLAMMABLE

Extinguishing Media:

EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

======== Accidental Release Measures ===========

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY SUPPLIER

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM ACIDS OR BASES.

Other Precautions: NONE

===== Exposure Controls/Personal Protection ========

Respiratory Protection: RESPIRATORY PROTECTION MAY BE NEEDED IN SPECIAL CIRCUMSTANCES.

Ventilation: GOOD VENTILATION (10 ROOM VOL PER HOUR IS CONSIDERED GOOD GENERAL VENTILATION). SUPPLEMENTAL VENTILATION MAY BE NEEDED.

Protective Gloves: IMPERVIOUS

Eye Protect

ion:SAFETY GLASSES (WITH SIDE SHIELDS) Other Protective Equipment: IF PROLONGED OR REPEATED CONTACT IS NECESSARY, IMPERVIOUS GLOVES OR OTHER PROTECTION MAY BE REQUIRED. Work Hygienic Practices: SUPPLIER DID NOT ADDRESS THIS FIELD. Supplemental Safety and Health EXPECTED TO HAVE MODERATE BOD. EXPECTED TO HAVE MODERATE POTENTIAL TO AFFECT AQUATIC ORGANISMS AND WASTE TREATMENT MICROORGANISMS. WHEN DILUTED WITH A LARGE QUANTITY OF WATER, THIS PRODUCT IS NOT EXPE CTED TO CAUSE AN ADVERS E ENVIRONMENTAL EFFECT. ======== Physical/Chemical Properties ============ HCC:N1 Boiling Pt:B.P. Text:>212F/>100C Vapor Pres:18 MM Vapor Density:0.6 Spec Gravity:1.33 pH:5.3 Solubility in Water: COMPLETE Appearance and Odor: COLORLESS SOLUTION; VINEGAR ODOR Percent Volatiles by Volume:43 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG ACIDS & STRONG BASES Stability Condition to Avoid: SUPPLIER DID NOT ADDRE SS THIS FIELD. Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE AMMONIA AND OXIDES OF SULFUR AND NITROGEN. Conditions to Avoid Polymerization: WILL NOT OCCUR.

====== Disposal Considerations ==========

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departm

ent

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.