View NSN Online: https://aerobasegroup.com/nsn/9150-00-985-7232

Product ID:HYDRAULIC FLUID MSDS Date:09/08/1992 FSC:9150 NIIN:00-985-7232 MSDS Number: BNRRY === Responsible Party === Company Name: PHIPPS PRODUCTS CORP Address:186 LINCOLN ST SUITE 502 City:BOSTON State:MA ZIP:02111-2403 Country:US Info Phone Num:804-279-4371 (DGSC-SSH) **Emergency Phone Num:OUT OF BUSIN** ESS Preparer's Name:DGSC-SSH CAGE:86511 === Contractor Identification === Company Name: PHIPPS PRODUCTS CORP Address:186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone:OUT OF BUSINESS CAGE:86511

Ingred Name:PETROLEUM HYDROCARBONS Other REC Limits:NONE SPECIFIED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:ADDIVE, MINOR,TYPE NOT KNOWN Other REC Limits:NONE SPECIFIED

===

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- MAY CAUSE IRRITATION OF EYES, SKIN, RESPIRATORY & G.I. TRACTS. CNS EFFECTS LIKE HEADACHE, DIZZINESS, NAUSEA AND VOMITING POSSIBLE. REDNESS AND/OR BURNS OF EYES/SKIN MAY OCCUR. CHRONIC: MAY CAUS E DRYING OF SKIN, DEFATTING OR DERMATITIS.

Effects of Overexposure:MAY CAU

SE IRRITATION OF EYES, SKIN, RESPIRATORY

& G.I. TRACTS. CNS EFFECTS LIKE HEADACHE, DIZZINESS, NAUSEA AND VOMITING POSSIBLE. REDNESS AND/OR BURNS OF EYES/SKIN MAY OCCUR. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE EXCESS. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINU

TES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING.GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:>200F,>93C

Extinguishing Media:USE WATER FOG, CO2, FOAM, OR DRY CHEMICAL. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT MAY FLOAT & CAN BE REIGNITED. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHI NG APPARATUS. COOL FIRE EXPOSED

CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:DENSE SMOKE, CARBON MONOXIDE, CARBON DIOXIDE

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. STOP LEAK. DIKE THE SPILLS. SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS OR SEWERS.

Neutralizing Agent:NOT APPLICABLE.

\_\_\_\_\_

Handling and Storage Precautions: STORAGE- KEEP CONTAINER CLOSED UNTIL READY FOR USE. Other Precautions: AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF C HILDREN. Respiratory Protection: NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS. WEAR SUPPLIED-AIR RESPIRATOR PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED. Ventilation: GOOD GENERAL VENTILATION IS SUFFICIENT. Protective Gloves: RUBBER IS RECOMMENDED Eye Protection: SAFETY GOGGLES WITH OPTIONAL FACE SHIELD Other Protective Equipment: EYE WASH STATION, QUICK DRENCH SHOWER AND **IMPERVIOUS CLOTHING** Work Hygienic Practices: OBSERVE GOOD PERSONA L HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT.

HCC:V6 Spec Gravity: