

TEKONSHA CORPORATION -- AERO GLOSS, 903A -- 7930-01-319-0575

=====  
Product Identification  
=====

Product ID:AERO GLOSS, 903A

MSDS Date:08/09/1991

FSC:7930

NIIN:01-319-0575

MSDS Number: BN RTP

=== Responsible Party ===

Company Name:TEKONSHA CORPORATION

Address:CUSTOM DIVISION

Box:128

City:SYRACUSE

State:IN

ZIP:46567

Country:US

Info Phone Num:219-457-5936

Emergency Phone Num:219-457-4133

CAGE:0J265

==

= Contractor Identification ===

Company Name:TEKONSHA CORPORATION

Address:CUSTOM DIVISION

Box:City:SYRACUSE

State:IN

ZIP:46567

Country:US

Phone:219-457-5936

CAGE:0J265

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROTREATED LIGHT DISTILLATES

CAS:64742-47-8

Fraction by Wt: PROP

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

H

Health Hazards Acute and Chronic: IF SENSITIVE OR ALLERGIC TO PRODUCT,  
SKIN OR EYE IRRITATION MAY OCCUR. IF INGESTED IRRITATION OF THE  
DIGESTIVE TRACT MAY OCCUR.

Effects of Overexposure: POSSIBLE IRRITATION.

=====  
First Aid Measures  
=====

First Aid: CALL PHYSICIAN IF INGESTED.

=====  
Fire Fighting Measures  
=====

Flash Point Method: TCC

Flash Point: 143F, 62C

Extinguishing Media: CO<sub>2</sub>, TREAT AS AN OIL FIRE.

Fire Fighting Procedures:

STANDARD.

Unusual Fire/Explosion Hazard: NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures: MOP UP USING SOAP AND WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions: DO NOT EXPOSE TO TEMPERATURES ABOVE  
150F.

Other Precautions: PROTECTIVE GLOVES IF SENSITIVE TO THE PRODUCT.  
STANDARD SAFETY GLASSES.

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:

STANDARD.

Protective Gloves: GLOVES IF SENSITIVE TO PRODUCT

Eye Protection: STANDARD SAFETY GLASSES.

Other Protective Equipment: PROTECTIVE CLOTHES OR APRON.

Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Boiling Pt: B.P. Text: 114F, 46C

Vapor Pressure: >50 MM

Vapor Density: 1.0

Spec Gravity: 0.980

Evaporation Rate & Reference: .87

Solubility in Water: EMULSIFY 100%

Appearance and Odor: EMULSIFIED POLISH

=====  
Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid: YES

===== Disposal Considerations =====

Waste Disposal Methods: STANDARD DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.