

BP NORTH AMERICA PETROLEUM INC -- UREA PRILL-INDUSTRIAL GRADE -- 6810-00-782-6521

=====
Product Identification
=====

Product ID:UREA PRILL-INDUSTRIAL GRADE

MSDS Date:07/29/1988

FSC:6810

NIIN:00-782-6521

MSDS Number: BNTLK

=== Responsible Party ===

Company Name:BP NORTH AMERICA PETROLEUM INC

Address:550 WESTLAKE PARK BLVD SUITE 1800

City:HOUSTON

State:TX

ZIP:77079-2608

Country:US

Info Phone Num:800

-537-9720/713-558-3443

Emergency Phone Num:800-321-8642/800-424-9300(CHEMTREC)

Preparer's Name:RIGNEY

CAGE:0BF86

=== Contractor Identification ===

Company Name:BP NORTH AMERICA PETROLEUM INC

Address:550 WESTLAKE PARK BLVD SUITE 1800

Box:City:HOUSTON

State:TX

ZIP:77079-2608

Country:US

Phone:713-558-3443

CAGE:0BF86

=====
Composition/Information on Ingredients
=====

Ingred Name:UREA

CAS:57-13-6

RTECS #:YR6250000

Fraction by Wt: >= 99.9%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5

MG/M3 RESP. (MFR)
ACGIH TLV:10 MG/M3 TDUST (MFR)

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LDL0 (DOMESTIC ANIMAL ORAL) IS 511 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-ORAL:SLIGHTLY TOXIC.MAY CAUSE GI
IRRITATION,NAUSEA,VOMITING & DIARRHEA.SKIN:PROLONGED/REPEATED
CONTACT MAY CAUSE REDDENING,ITCHING & INFLAMMATION.EYE:SLIGHTLY
|
RRITATING.INHALE:MAY CAUSE RESPIRA TORY TRACT IRRITATION.UREA IS
AN END PRODUCT OF PROTEIN METABOLISM & IS EXCRETED IN THE
URINE.CHRONIC-NONE KNOWN.
Effects of Overexposure:LIGHTLY TOXIC IF INGESTED. MAY CAUSE GI
IRRITATION, NAUSEA, VOMITING & DIARRHEA. PROLONGED/REPEATED SKIN
CONTACT MAY CAUSE REDDENING, ITCHING & INFLAMMATION. SLIGHTLY
IRRITATING TO EYES. IF INHALE, MA Y CAUSE RESPIRATORY TRACT
IRRITATION. UREA IS AN END PRODUCT OF PROTEIN METABOLISM & IS
EXCRETED I
N THE URINE.
Medical Cond Aggravated by Exposure:ASTHMATICS EXPOSED TO DUST MAY HAVE
DIFFICULTY IN BREATHING.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH
SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS
OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED.
ORAL:DO N OT INDUCE VOMITING. KEEP AFFECTED PERSON WARM AND AT
REST. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED
CONTAINERS.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:MAY FORM POISONOUS/IRRITATING GAS, FUMES
OR VAPORS. MAY FO

RM EXPLOSIVE MIXTURES IF CONTAMINATED WITH STRONG ACIDS. UREA SOLUTIONS MAY DECOMPOSE TO TOXIC HCN.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPROVED RESPIRATOR. STOP LEAK IF POSSIBLE. VACUUM OR SWEEP UP SPILLAGE. AVOID CREATING DUST. PLACE SPILLAGE IN APPROPRIATE CONTAINER FOR WASTE DISPOSAL. VENTILATE AREA AND WASH SPILL SITE.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN TIGHTLY CLOSED CONTAINER IN COOL, DRY, ISOLATED, WELL-VENTILATED AREA AWAY FROM INCOMPATIBLES.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE. DO NOT REUSE WITHOUT ADEQUATE PRECAUTIONS. AVOID CONTAMINATION WITH OTHER "LOOK-ALIKE" MATERIALS THAT MAY PRODUCE AN EXPLOSION HAZARD. AVOID GENERATING DUSTS. AVOID BREATHING DUSTS.

===== Exposure Controls/Personal Protection =====

Respirator

Protection:NONE NORMALLY REQUIRED. IF WORKPLACE EXPOSURE LIMIT IS EXCEEDED, A NIOSH APPROVED AIR SUPPLIED RESPIRATOR OR DUST RESPIRATOR IS ADVISED.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:BUTYL RUBBER

Eye Protection:DUST-RESISTANT SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER, APPROPRIATE LABORATORY COAT TO COVER EXPOSED SKIN. DO NOT WEAR CONTACT

LENSES.

Work Hygienic Practices:DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR THIS MATERIAL. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:DECOMPOSES

Melt/Freeze Pt:M.P/F.P Text:271F,133C

Solubility in Water:119 % @ 25C

Appearance and Odor:WHITE GRANULES WHITE LITTLE/NO ODOR. AMMONIA ODOR UPON LONG STANDING

===== Stability and Reactivity Data =====

==

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS

Stability Condition to Avoid: STABLE UNDER NORMAL CONDITIONS OF USE.

AVOID EXCESSIVE HEAT. IT MAY CAUSE DECOMPOSITION TO VERY TOXIC HYDROGEN CYANIDE.

Hazardous Decomposition Products: COMBUSTION MAY FORM TOXIC GASES SUCH AS HYDROGEN CYANIDE, NITROGEN OXIDES AND CARBON MONOXIDE. AVOID CONTACT WITH ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods: THE TRANSPORTATION, STORAGE, TREATMENT AND

DISPOSAL OF THIS WASTE MATERIAL MUST BE CONDUCTED IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.