

CRAWFORD LABORATORIES, INC. -- MIL-C-22750E, GRAY 16840 ACTIVATOR PART B, --
8010-01-313-8119

===== Product Identification =====

Product ID:MIL-C-22750E, GRAY 16840 ACTIVATOR PART B,

MSDS Date:03/11/1992

FSC:8010

NIIN:01-313-8119

Kit Part:Y

MSDS Number: BNTTX

=== Responsible Party ===

Company Name:CRAWFORD LABORATORIES, INC.

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Coun

try:US

Info Phone Num:312-376-7132

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:DAVID SCHMETTERER

CAGE:DO165

=== Contractor Identification ===

Company Name:CRAWFORD LABORATIES, INC

Address:4165 SOUTH EMERALD AVENUE

City:CHICAGO

State:IL

ZIP:60609

Phone:800-424-9300 CHEMTREC

CAGE:DO165

Company Name:CRAWFORD LABORATORIES, INC

Address:4165 SOUTH EMERALD AVENUE

Box:City:CHICAGO

State:IL

ZIP:60609

Country:US

Phone:312-376-7132

CAGE:5V430

===== Composition/Information on Ingrid

ients =====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (SARA 313) (VAPOR PRESSURE 71.2 MM HG)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 25%
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM
ACGIH TLV:200 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:NONYLPHENOL (VAPOR PRESSUR
E 0.9 MM HG) CONTAINS A TRACE OF
PHENOL, (CAS 108-95-2) TLV 5 PPM (SARA 313)
CAS:25154-52-3
RTECS #:SJ3325000
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 PPM

Ingred Name:META XYLENE DIAMINE
CAS:1477-55-0
RTECS #:PF8970000
Fraction by Wt: 5%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:.1 MG/M3

Ingred Name:AMINE ADDUCT
CAS:68738-77-2
Fraction by Wt: 200 CST
Evaporation Rate & Reference:3.62 X N-BUTYL ACETATE
Solubility in Water:SLIGHT
Appearance and Odor:GRAY LIQUID, SO

LVENT ODOR

Percent Volatiles by Volume:55.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MAY BE INCOMPATIBLE WITH OXIDIZING AGENTS AND STRONG ALKALIES.

Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAMES AND
INCOMPATIBILITIES ABOVE.

Hazardous Decomposition Products:INCOMPLETE COMBUSTION FOR PRODUCTS
LIKE THIS MAY GENERATE HIGHLY POISONOUS CARBON MONOXIDE AND OTHER
TOXIC GASES

===== Disposal

Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT
LOCAL, STATE AND FEDERAL REGULATION. CONTACT AN APPROVED DISPOSAL
FACILITY. EPA CODE: D001. W/SOAP AND WATER. DO NOT REUSE
CONTAMINATED CLOTHING OR SHOES . IF IRRITATION PERSISTS, GET
MEDICAL ATTENTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States
of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.