

LOCTITE CORP -- 66040, QUICK METAL PRESS FIT REPAIR

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-318-0315
MSDS Date: 01/21/1992
MSDS Num: BNTVJ
Product ID: 66040, QUICK METAL PRESS FIT REPAIR
MFN: 01
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 705 NORTH MOUNTAIN RD
City: NEWINGTON
CT 06111-1411
Info Phone Number: 203-278-1280
Emergency Phone Number: 203-278-1280
Preparer's Name: STEPHEN REPETTO
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 860-571-5100

=====
Item Description Information
=====

Item Name: ADHESIVE
=====

Ingredients
=====

Cas: 24448-20-2
Name: DIMETHACRYLATE ESTERS; (AROMATIC DIMETHACRYLATE ESTER)
% Wt: 40-45

Cas: 27813-02-1
Name: HYDROXYPROPYLMETHACRYLATE; (HYDROXYALKYL METHACRYLATE)
% Wt: 30-35
Other REC Limits: 20 P

PM, C (MFR)

Cas: 39382-25-7

Name: BISPHENOL A PROPYLENE OXIDE FUMARATE; (BISPHENOL A FUMARATE RESIN)

% Wt: 5-10

Cas: 112945-52-5

RTECS #: VV7310000

Name: SILICA, AMORPHOUS FUMED; (SILICA, AMORPHOUS TREATED)

% Wt: 5-10

OSHA PEL: 6 MG/M3

ACGIH TLV: 10 MG/M3 TDUST

Cas: 9003-20-7

RTECS #: AK0920000

Name: ACETIC ACID, VINYL ESTER, POLYMER; (POLY (VINYL ACETATE))

% Wt: 3-5

Cas: 8

0-15-9

RTECS #: MX2450000

Name: HYDROPEROXIDE, ALPHA, ALPHA-DIMETHYLBENZYL-; (CUMENE HYDROPEROXIDE)
(SARA III)

% Wt: 1-3

EPA Rpt Qty: 10 LBS

DOT Rpt Qty: 10 LBS

Cas: 67-56-1

RTECS #: PC1400000

Name: METHANOL; (METHYL ALCOHOL). LEL:6%. UEL:36%.

% Wt: 1-3

OSHA PEL: S,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

Cas: 13463-67-7

RTECS #: XR2275000

Name: TITANIUM OXIDE; (TITANIUM DIOXIDE)

%

Wt: 1-3
OSHA PEL: 15 MG/M3 TDUST
ACGIH TLV: 10 MG/M3 TDUST; 9293

Cas: 114-83-0
RTECS #: AJ2900000
Name: ACETIC ACID, 2-PHENYLHYDRAZIDE; (1-ACETYL-2-PHENYLHYDRAZINE)
% Wt: 0.1-1

Cas: 613-48-9
Name: N,N-DIALKYL TOLUIDINES
% Wt: 0.1-1

Cas: 110-16-7
RTECS #: OM9625000
Name: MALEIC ACID (SARA III)
% Wt: 0.1-1
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 81-07-2
RTECS #: DE42
00000
Name: 1,2-BENZISOTHIAZOLIN-3-ONE, 1,1-DIOXIDE; (SACCHARIN) (SARA III)
% Wt: 0.1-1
EPA Rpt Qty: 100 LBS
DOT Rpt Qty: 100 LBS

RTECS #: 9999999VO
Name: VOLATILE ORGANIC COMPOUNDS (152 G/L)
% Wt: 38.1

=====
Health Hazards Data
=====

LD50 LC50 Mixture: LD50:(ORAL)>5 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: Y

ES

IARC: YES

OSHA: NO

Effects of Exposure: EYE IRRITANT. MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. ING 1 & 2:ALLERGIN. ING 4:LUNG EFT. ING 6:MUTAGEN, EVIDENCE OF SOME CARCINOGENICITY. ING 7:GI, IRRITANT, NERVOUS SYSTE M & OCULAR EFTS. ING 8 & 11:IRRITANT. ING 12:MUTAGEN.

Explanation Of Carcinogenicity: SACCHARIN:GROUP 2B(IARC); GROUP 2, ANTICIPATED TO BE CARCINOGEN (NTP).

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravate

d By Exposure: NONE KNOWN

First Aid: INGEST:DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MD.

INHAL:REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MD. SKIN:WASH THOROUGHLY
W/SOAP & WATER. EYE:FLUSH FOR AT LEAST 15 MINUTES W/WATER. GET MD.

=====
Handling and Disposal
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT. STORE IN A PARTLY
FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

L.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA & LOCAL REGULATIONS.

DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS (FP N).

Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE.

AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: >200F,>93C

Lower Limits: SEE ING 7

Upper Limits: SEE ING 7

Extinguishing Media: CO*2, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE

=====
Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RES

PIRATOR APPROPRIATE FOR

EXPOSURE OF CONCERN (FP N).

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====
Physical/Chemical Properties
=====

=====
HCC: V7
B.P. Text: >300F,>149C
Vapor Pres: <5 @ 80F
Spec Gravity: 1.1 @ 75F
Solubility in Water: SLIGHT
Appearance and Odor: SILVER PASTE, MILD ODOR.
=====

Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: NONE
Hazardous Decomposition Products: HAZARDOUS PRODUCTS FORMED BY
FIRE/THERMAL
DECOMPOSITION:IRRITATING ORGANIC VAPORS. NON-THERMAL:NONE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT
=====

Toxicological Information
=====

Ecological Information
=====

MSDS T
ransport Information
=====

Regulatory Information
=====

Other Information
=====

Transportation Information
=====

Responsible Party
Party Cage: 7K128
Trans ID NO: 124951
Product ID: 66040, QUICK METAL PRESS FIT REPAIR
MSDS Prepared Date: 01/21/1992
Review Date: 09/24/1992
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Additional Data: NOT REGULATED FOR TRANSPORTATION
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: 66040, QUICK METAL PRESS FIT REPAIR

Cage: 7K128

Company Name: LOCTITE CORP

Street: 705 N MT RD

City: NEWINGTON CT

Zipcode: 06111

Health Emergency Phone: 203-278-1280

Label Required IND: Y

Date Of Label Review: 07/13/1992

Statu

s Code: C

Label Date: 07/13/1992

Origination Code: G

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: ACUTE:EYE CONTACT MAY CAUSE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS IN SENSITIVE INDIVIDUALS. CHRONIC:CONTAINS SACCHARIN, A SUSPECTED HUMAN CARCINOGEN.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of Amer

ica and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.