View NSN Online: https://aerobasegroup.kr/nsn/6810-00-664-7062

LIBERTY CHEMICAL CO -- SODIUM METASILICATE, ANHYDROUS

MSDS Safety Information

FSC: 6810 NIIN: 00-664-7062 MSDS Date: 09/21/1992 MSDS Num: BNTZT Product ID: SODIUM METASILICATE, ANHYDROUS MFN: 01 Responsible Party Cage: 2U208 Name: LIBERTY CHEMICAL CO Address: 317 ST PAULS AVE City: JERSEY CITY NJ 07306-5021 Info Phone Number: COMPANY OUT OF BUSINESS Emergency Phone Number: COMPANY OUT OF BUSINESS Preparer's Name: DGSC-SSH Review Ind: Y Published: Y
Preparer Co. when other than Responsible Party Co.
Cage: 2U208 Name: LIBERTY CHEMICAL CO Address: 317 ST PAULS AVE City: JERSEY CITY NJ 07306-5021 Contractor Summary
Cage: 2U208 Name: LIBERTY CHEMICAL CO Address: 317 ST PAULS AVE City: JERSEY CITY NJ 07306-5021 Phone: COMPANY OUT OF BUSINESS
Item Description Information
Item Manager: S9G Item Name: SODIUM METASILICATE,ANHYDROUS,TECHNICAL Specification Number: A-A-1818 Type/Grade/Class: TYPE 2 Unit of Issue: BG Quantitative Expression: 0000000100LB U

I Container Qty: 1 Type of Container: STD COMML BAG

Ingredients

Cas: 6834-92-0 RTECS #: VV9275000 Name: SODIUM METASILICATE, ANHYDROUS % Wt: 100 Other REC Limits: NONE SPECIFIED OSHA PEL: 2 MG/M3 8HR ACGIH TLV: C; 2 MG/M3

Health Hazards Data

LD50 LC50 Mixture: ORAL RAT LD50

: 847 MG/KG Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: SOLUTIONS ARE HIGHLY ALKALINE. IRRITATING TO EYES, SKIN,

AND MUCOUS MEMBRANES. INGESTION WILL CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT. NAUSEA, VOMITING, CRAMPS AND DIARRHEA MAY OCCUR.

Explanation Of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Sign

s And Symptions Of Overexposure: SOLUTIONS ARE HIGHLY ALKALINE. IRRITATING TO EYES, SKIN, AND MUCOUS MEMBRANES. INGESTION WILL CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT. NAUSEA, VOMITING, CRAMPS AND DIARRHEA MAY OCCUR. Medical Cond Aggravated By Exposure: NONE

First Aid: EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: IMMEDIATELY WASH WITH WATER. REMOVE SOILED CLOTHING. GET MEDICAL ATTENTION IMMEDIATEL Y. INHALATION:

REMOVE TO FRESH AIR. GETMEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, IMMEDIATELY GIVE LARGE QUANTITIES OF WATER TO DRINK. GET MEDICAL ATTENTION IMMEDIATELY.

Handling and Disposal

Spill Release Procedures: SWEEP UP THE MATERIAL BEING CAREFUL NOT TO CREATE DUST AND TRANSFER TO AN APPROPRIATE CHEMICAL WASTE CONTAINER. NEUTRALIZE RESIDUE WITH DILUTE ACID, FLUSH SPILL AREA WITH WATER.

Neutralizing Agent: DILUTE ACID

Waste Disposal Methods: (CONSULT LOCAL, STATE AND FEDERAL REGULATIONS) OBSERVE ALL LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS REGARDING DISPOSAL, SPILL, CLEANUP, REMOVAL AND/OR DISCHARGE.

Handling And Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA. THE MATERIAL IS HYGROSCOPIC AND CONTAINERS SHOULD BE KEPT CLOSED WHEN NOT IN USE.

Other Precautions: IF EXPOSURE OCCURS OR IF POISONING IS SUSPECTED, DO NOT WAIT

FOR SYMPTOMS TO DEVELOP. IMMEDIATELY INITIATE THE RECOMMENDED FIRST AID PROCEDURES. SIMULTANEOUSLY CONTACT A PHYSICIAN OR THE NEAREST HOSPI TAL. DESCRIBE INCIDENT & amp; FOLLOW ADVICE.

Fire and Explosion Hazard Information

Flash Point Text: NON-FLAMMABLE

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTEC

TIVE EQUIPMENT AND A FULL

FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: HIGHLY ALKALINE. IN AQUEOUS SOLUTIONS, IT MAY REACT WITH CERTAIN METALS TO FORM FLAMMABLE HYDROGEN GAS.

Control Measures

Respiratory Protection: WEAR A NIOSH/MSHA APPROVED DUST RESPIRATOR.

Ventilation: LOCAL EXHAUST IS S

UGGESTED TO PROVIDE ADEQUATE VENTILATION.

Protective Gloves: RUBBER GLOVES

Eye Protection: CHEMICAL GOGGLES AND FACE SHIELD.

Other Protective Equipment: WEAR INDUSTRIAL WORK CLOTHING AND RUBBER BOOTS.

HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: USE GOOD WAREHOUSE KEEPING PROCEDURES.

Physical/Chemical Properties

HCC: B1

Melt/Freeze Pt: =1088.9C, ######F Decomp Text: UNKNOWN Vapor Pres: NEGLIGIBLE Spec Gravity: 2.4 PH: 12.6 Solubility in Water: APPRECIABLE Appearance and Odor: WHITE GRANULAR OR POWDERED SOLID. ODORLESS. Percent Volatiles by Volume: 0 Corrosion Rate: UNKNOWN

Reactivity Data

=====

Stability Indicator: YES Materials To Avoid: THIS MATERIAL, UPON CONTACT WITH CERTAIN PRODUCTS OR THEIR RESIDUES WHICH CONTAIN REDUCING SUGARS, MAY REACT TO FORM CO. Hazardous Decomposition Products: IN AQUEOUS SOLUTIONS, THIS MATERIAL MAY REACT WITH ALUMINUM, GALVANIZED IRON AND ZINC, & MAY GENERATE FLAMMABLE H2 GAS. Hazardous Polymerization Indicator: NO Toxicological Information _____ ====== _____ **Ecological Information** ______ _____ **MSDS** Transport Information _____ Regulatory Information _____ ______ Other Information ____ _____ Transportation Information ______ Responsible Party Cage: 2U208 Trans ID NO: 81563 Product ID: SODIUM METASILICATE, ANHYDROUS MSDS Prepared Date: 09/21/1992 Review Date: 09/21/1992 **MFN: 1** Net Unit Weight: 100 LBS Multiple KIT Number: 0 Review IND: Y Unit Of Issue: BG Container QTY: 1 Type Of Container: STD COMML BAG Additional Data: NONE ____

Detail DOT Information
DOT PSN Code: ZZZ DOT PSN Code: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=== Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail AFI Information
AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
HAZCOM Label
Product ID: SODIUM METASILICATE, ANHYDROUS Cage: 2U208 Company Name: LIBERTY CHEMICAL CO Street: 317 ST PAULS AVE City: JERSEY CITY NJ Zipcode: 07306-5021 Health Emergency Phone: COMPANY OUT OF BUSINESS Label Required IND: Y Date Of Label Review: 09/21/1992 Status Code: C Label Date: 09/21/1992 Year Procured: 1984 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING Respiratory Protection IND: YES Health Hazard: Moderate Contact Haz

ard: Moderate

Fire Hazard: None

Reactivity Hazard: Slight

Hazard And Precautions: SOLUTIONS ARE HIGHLY ALKALINE. IRRITATING TO EYES, SKIN, & MUCOUS MEMBRANES. INGESTION WILL CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT. NAUSEA, VOMITING, CRAMPS & DIARRHEA MAY OCCUR. IN CASE OF SP ILL: SWEEP UP THE MATERIAL BEING CAREFUL NOT TO CREATE DUST AND TRANSFER TO AN APPROPRIATE CHEMICAL WASTE CONTAINER. NEUTRALIZE RESIDUE WITH DILUTE ACID, FLUSH SPILL AREA WITH WATER. STORE IN A COOL, DRY. WELL

VENTILATED AREA. THE MATERIAL IS HYGROSCOPIC. KEEP CONTAINERS CLOSED WHEN NOT IN USE. FIRST AID: EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH WATER. INHALATION: REMOVE TO FRESH AIR . INGESTION: NO NOT INDUCE VOMITING. GET MED HELP.

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of Ameri

ca in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional ad vice to verify

and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.