

FISHER SCIENTIFIC -- C495, CUPRIC SULFATE -- 6810-00-596-6605

===== Product Identification =====

Product ID:C495, CUPRIC SULFATE

MSDS Date:12/04/1990

FSC:6810

NIIN:00-596-6605

MSDS Number: BNVYX

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100;800-424-9300(CHEMTR
EC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

===== Composition/Information on Ingredients =====

Ingred Name:CUPRIC SULFATE (SARA III). EXPOSURE LIMITS LISTED FOR CU.

CAS:7758-98-7

RTECS #:GL8800000

Fraction by Wt: >97%

OSHA PEL:1MG/M3 DUST;0.1 FUME

ACGIH TLV:1MG/M3 DUST;0.2 FUME

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LB

S

Inged Name:SUPP DATA: HAS BEEN REPORTED. EYE: ACUTE - MAY CAUSE
CONJUNCT, CORNEAL ULCERATION/TURBIDITY AND PALPEBRAL EDEMA. (ING 3)
RTECS #:9999999ZZ

Inged Name:ING 2: CHRONIC - RPTD/PRLNG USE OF SOLID COPPER SULFATE FOR
TREATMENT OF TRACHOMA PRDCED INFLAMM & PURULENT RXN, (ING 4)
RTECS #:9999999ZZ

Inged Name:ING 3: AND DISCOLORATION OF CORNEA. WHEN A PARTICLE OF
COPPER SULFATE WAS LEFT ACCIDENTALLY IN CONJUCTIVAL SAC, (ING 5)
RTECS #:9999999ZZ

Inged Name:ING 4: IT CAUSED M
ORE SEVERE LOCAL INFLAMM & NECROSIS,
CORNEAL OPACITY & SYMBLEPHARON. INGEST: ACUTE - MAY CAUSE (ING 6)
RTECS #:9999999ZZ

Inged Name:ING 5: SALIVATION/NAUS/VOMIT/GASTRIC PAIN/LOC
CORR/HEMORR/BLEU DISCOLORATION OF GUMS & TONGUE/HEMOLYTIC ANEMIA/
(ING 7)
RTECS #:9999999ZZ

Inged Name:ING 6: HEMORRHAGIC GASTRITIS/COLIC & DIARR W/BLOODY STOOLS.
LIVER/KIDNEY DMG W/SEV ANEMIA MAY OCCUR W/POSSIBLE (ING 8)
RTECS #:9999999ZZ

Inged Name:ING 7: SOMNOLENCE & COMA. DEATH MAY OCCUR FROM CI
RCULATORY
FAILURE. MINIMAL LETHAL ORAL DOSE FOR ADULT APPEARS (ING 9)
RTECS #:9999999ZZ

Inged Name:ING 8: TO BE 10 GRAMS. CHRONIC - CHRONIC HUMAN POISON HAS
ONLY BEEN REPORTED IN INDIVIDUALS W/WILSON'S DISEASE. (ING 10)
RTECS #:9999999ZZ

Inged Name:ING 9: THIS DISEASE IS RARE GENETIC CNDTN IN WHICH THERE
MAY BE ABNORMALLY HIGH ABSORPTION, RETENTION & STORAGE (ING 11)
RTECS #:9999999ZZ

Inged Name:ING 10: OF COPPER BY THE BODY. THIS ACCUM HAS BEEN NOTED TO
PRECEDE THE DEVEL O

F LIVER PATHOLOGY, WHICH MAY (ING 12)
RTECS #:9999999ZZ

Inged Name:ING 11: ULTIMATELY PROVE FATAL.
RTECS #:9999999ZZ

Inged Name:FIRST AID PROC: AND LOWER LIDS, UNTIL NO EVIDENCE OF
CHEMICAL REMAINS (APPROX 15-20 MIN). GET MED ATTN IMMED. (ING 14)
RTECS #:9999999ZZ

Inged Name:ING 13: INGEST: DILUTE THE POISON IMMED W/LG AMTS OF
WATER/MILK & REMOVE BY GASTRIC LAVAGE UNLESS THE VICTIM IS (ING 15)
RTECS #:9999999ZZ

Inged Name:ING 14: ALREADY VOMIT. GET MED ATTN IMMED. ADMIN OF GASTRI
C
LAVAGE SHLD BE PERFORMED BY QUALIFIED MED PERS. (ING 16)
RTECS #:9999999ZZ

Inged Name:ING 15: ANTIDOTE: THE DECISION AS TO WHETHER THE SEVERITY
OF POISONING REQ ADMIN OF ANY ANTIDOTE & ACTUAL DOSE (ING 17)
RTECS #:9999999ZZ

Inged Name:ING 16: SHLD BE MADE BY QUALIFIED MED PERS. GIVE CALCIUM
DISODIUM EDETATE 15-25MG/KG (0.08-0.125 ML OF 20% SOLN (ING 18)
RTECS #:9999999ZZ

Inged Name:ING 17: PER KG BODY WT) IN 250-500ML OF 5% DEXTROSE
INTRAVENOUSLY OVER A 1-2 HR PERIOD TWIC
E DAILY. THE MAX DOSE(ING
19)
RTECS #:9999999ZZ

Inged Name:ING 18: SHLD NOT EXCEED 50MG/KG/DAY. DRUG SHLD BE GIVEN IN
5-DAY COURSES W/REST PERIOD OF AT LST 2 DAYS BETWEEN (ING 20)
RTECS #:9999999ZZ

Inged Name:ING 19: AFTER FIRST COURSE, SUBSEQUENT COURSES SHLD NOT
EXCEED 50MG/KG/DAY. DAILY URINALYSES SHLD NOT BE DONE (ING 21)
RTECS #:9999999ZZ

Inged Name:ING 20: DURING TREATMENT PERIOD. DOSAGE SHLD BE REDUCED IF
ANY UNUSUAL URINARY FINDING APPEAR. INTRAVENOUS ADMIN(ING 22)

RTECS #:9999999ZZ

Ingred Name:ING 21: IS CONTRAINDICATED IN PRESENCE OF ELEVATED
CEREBROSPINAL FLUID PRESS. PENICILLAMINE IS ALSO EFTIVE IN (ING 23)
RTECS #:9999999ZZ

Ingred Name:ING 22: COPPER POISONING. GIVE UP TO 100 MG/KG/DAY (MAX 1
G/DAY) DIVIDED INTO 4 DOSES FOR NO LONGER THAN 1 WK. (ING 24)
RTECS #:9999999ZZ

Ingred Name:ING 23: IF LONGER ADMIN PERIOD IS WARRANTED, DOSAGE SHLD
NOT EXCEED 40 MG/KG/DAY. GIVE THE DRUG ORALLY, HALF AN (ING 25)
RTECS #:9999999ZZ

Ingred Name:ING
24: HOUR BEFORE MEALS.
RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:LD50: (ORAL, RAT) 300 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: ACUTE - MAY CAUSE IRRIT OF
UPPER RESP TRACT. WORKERS EXPOS TO COPPER SALTS IN DUST FORM
COMPLAINED OF METALLIC TASTE W/IRRIT OF NASAL/ORAL MUCOSA. CHRONIC
- RPTD/PRLNG EXPOS MAY PR
DCE SEV CONGE STION OF NASAL MUCOSA
W/RHINITIS & POSSSLOUGHING/ULCERATION. SKIN CONT: ACUTE - MAY CAUSE
ITCHING, (EFTS OF OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ: PAPULOVESICULAR & ECZEMATOID LESION.
CHRONIC - RPTD/PRLNG EXPOS MAY CAUSE SOME DEGREE OF NECROSIS.
ALLERGIC CONT DERMAT HAS BEEN REPORTED. RPTD APPLICATIONS TO
EXTENSIVE AREAS OF BURNED SKIN MAY CAUSE BLUE DISCOLORATION OF
GUMS &TONGUE/HEMOLYTIC ANEMIA/HEMORRHAGIC G
ASTRITIS/ COLIC & DIARR
W/BLOODY(SUPP DATA)
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF CHRONIC
RESPIRATORY OR SKIN DISEASE OR WILSON'S DISEASE.

===== First Aid Measures =====

First Aid:INHAL: MOVE TO FRESH AIR IMMED. IF BRTHG STOPPED, PERFORM
ARTF RESP. KEEP WARM/AT REST. TREAT SYMPTOMATICALLY/SUPPORTIVELY.
GET MED ATTN IMMED. SKIN: REMOVE CONTAMD CLTHG/SHOES IMMED. WASH
AFFECTED AR EA W/SOAP OR MILD DETERGENT & LG AM

TS OF WATER UNTIL NO

EVIDENCE OF CHEM REMAINS (APPROX 15-20 MIN). GET MED ATTN IMMED.

EYES: WASH IMMED W/LG AMTS OF WATER OR NORM SALINE, OCCAS LIFTING
UPPER(ING 13)

===== Fire Fighting Measures =====

Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR
REGULAR FOAM. FOR LARGER FIRES, USE WATER SPRAY, FOG OR REGULAR
FOAM.

Fire Fighting Procedures: USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP .
MOVE CONTR FROM FIRE AREA IF YOU
CAN DO IT W/O RISK. DO NOT SCATTER
SPILLED MATL W/HIGH-PRESS (SUPP DATA)

Unusual Fire/Explosion Hazard: NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO
HEAT OR FLAME.

===== Accidental Release Measures =====

Spill Release Procedures: SWEEP UP AND PLACE IN SUITABLE CLEAN, DRY
CONTAINERS FOR RECLAMATION OR LATER DISPOSAL. DO NOT FLUSH MATERIAL
INTO SEWER. KEEP UNNECESSARY PEOPLE AWAY.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER

===== Handling
ing and Storage =====

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER

Other Precautions: AVOID BREATHING VAPORS OR DUSTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: THE SPECIFIC RESPIRATOR SELECTED MUST BE BASED
ON CONTAMINATION LEVELS FOUND IN WORK PLACE, MUST NOT EXCEED
WORKING LIMITS OF RESPIRATOR & BE JOINTLY APPROVED BY NIOSH/MSHA.
FOR ADDITIONAL INFORMATION , CONTACT NEHC .

Ventilation: PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO
MEET PUBLISHED EXPOSURE LIMITS.

Protective Gloves: IMPERVIOUS GLOVES .

Eye Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment: APPROP PROT CLTHG/EQUIP TO PVNT RPTD/PRLNG
SKIN CONT. EYE WASH FOUNTAIN WITHIN IMMEDIATE WORK AREA FOR
EMERGENCY USE.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER

Supplemental Safety and Health

BP: 1202F(650C) DECOMPOSES. MP: 392F(200C) SLIGHT DECOMPOSITION. FIRE
FIGHT PROC: WATER STRE

AM. DIKE FIRE-CTL WATER FOR LATER DISPOS.
EFFECTS OF OVEREXPOSURE: STUNNED. IN SEVERE CASES, LIVER/KIDNEY DAMAGE W/SEVERE ANEMIA
MAY OCCUR W/SOMNOLENCE & COMA. DEATH MAY OCCUR FROM CIRCULATORY
FAILURE. GREENISH DISCOLORATION OF SKIN/HAIR (INGESTION 2)

===== Physical/Chemical Properties =====

Boiling Point: B.P. Text: SUPP DATA
Melting/Freezing Point: M.P/F.P Text: SUPP DATA
Specific Gravity: 3.6
Solubility in Water: 14.3% @ 0°C
Appearance and Odor: GRAYISH-WHITE TO GREENISH-WHITE RHOMBIC CRYSTALS.

=
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
AVOID CONTACT W/STRONG OXIDIZERS. INCOMPATIBLE WITH HYDROXYLAMINE,
MAGNESIUM, SODIUM HYPOBROMITE.
Stability Condition to Avoid: MAY BURN BUT DOES NOT IGNITE READILY.
AVOID EXCESSIVE HEAT, SPARKS, OR OPEN FLAME.
Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY RELEASE
TOXIC SO₂.

===== Disposal Considerations =====

Waste Disposal Method:
Disposal: DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,
STATE, AND LOCAL REGULATIONS. REPORTABLE QTY: 10 POUNDS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional
advice to verify and
assume responsibility for the suitability of this information to their
particular situation.