

FLAMEMASTER CORP -- CS 3201 PART A -- 8030-00-024-9634

=====
Product Identification
=====

Product ID:CS 3201 PART A

MSDS Date:05/03/1989

FSC:8030

NIIN:00-024-9634

Kit Part:Y

MSDS Number: BNWGD

=== Responsible Party ===

Company Name:FLAMEMASTER CORP

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352

Country:US

Info Phone Num:818-982-1650

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:144

39

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS PER 29 CFR 1910.1200

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NOT ESTABLISHED. POSSIBLE SKIN
IRRITATION AFTER PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.
Effects of Overexposure:SKIN OR EYE IRRITATION.
Medical Cond Aggravated by Exposure:NOEN KNOWN. 17MAR92

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.
SKIN: WASH WITH SOAP AND
WATER. INGESTION: INDUCE VOMITING, CONSULT
PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>200F,>93C
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR
REACTION WITH CURING AGENT. CLEANUP RESIDUE WITH 1,1,1
TRICHLORO
ETHANE THEN WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA AWAY FROM
STRONG ACIDS.
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.
Ventilation:LOCAL EXHAUST: AIR. MECHANICAL (GENERAL): FAN.
Protective Gloves:RUBBER GLOVES.
Eye Protection:SA

FETY GLASSES.

Other Protective Equipment: APPROPRIATE TO AVOID PROLONGED CONTACT.

Work Hygienic Practices: TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D1

Melt/Freeze Pt: M.P/F.P Text: LIQ@RM TEMP

Vapor Pres: NIL

Vapor Density: NIL

Spec Gravity: 1.50

Evaporation Rate & Reference: