View NSN Online: https://aerobasegroup.kr/nsn/6810-00-281-2039 TECHNIC INC -- SODIUM CYANIDE -- 6810-00-281-2039 ============ Product Identification ========================= Product ID:SODIUM CYANIDE MSDS Date:08/28/1991 FSC:6810 NIIN:00-281-2039 MSDS Number: BNWJR === Responsible Party === Company Name: TECHNIC INC Address:1 SPECTACLE ST City:CRANSTON State:RI ZIP:02910-1032 Country:US Info Phone Num:401-781-6100 Emergency Phone Num:401-781-6100 CAGE:20816 === Contractor Identificatio n === Company Name: TECHNIC INC Address:1 SPECTABLE STREET Box:City:CRANSTON State:RI ZIP:02910 Country:US Phone:401-781-6100 CAGE:20816 ======= Composition/Information on Ingredients ======== Ingred Name: SODIUM CYANIDE (SARA III) CAS:143-33-9 RTECS #:VZ7525000 Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 (CN)

ACGIH TLV:S; 5 MG/M3 (CN);9192

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

=========== Hazards Identification ==========================

LD50 L

C50 Mixture:LD50 (ORAL RAT) IS 6.440 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF DUST WILL CAUSE RESPIRATORY TRACT IRRITATION & MAY BE FATAL. DUSTS WILL IRRITATE, BURN & DAMAGE THE EYES. DUST WILL CAUSE SKIN IRRITATION & RASH. FATAL AMOUNTS CAN BE ABSORBED THR OUGH THE SKIN. SWALLOWING CAN CAUSE DEATH. CHRONIC: LOSS OF APPETITE, HEADACHE, WEAKNESS, NAUSEA, DIZZINESS & IRRITATION

Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYE, SKIN & RESPIRATORY TRACT IRRITATION.
PROLONGED OR REPEATED SKIN CONTACT MAY RESULT IN ITCHING RASH
CHARACTERIZED BY MACULAR, POPULAR, AND VESICULAR ERUPTIONS USUALLY
FOLLOWED BY SECONDARY INFECTI ON. CAN CAUSE DEATH THROUGH CHEMICAL
ASPHYXIA. MAY CAUSE HEADACHE, WEAKNESS, NAUSEA, DIZZINESS AND LOSS
OF APPETITE.

Medical Co

nd Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING
DISEASES OF THE CENTRAL NERVOUS SYSTEM MAY HAVE INCREASED
SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First Aid:PLAN & PRACTICE ACTIONS TO BE TAKEN IN CASE OF CYANIDE EXPOSURE BEFORE BEGINNING WORK WITH CYANIDES. IMMEDIATELY GIVE VICTIM OXYGEN AND AMYL NITRITE WHILE WAITING FOR INTRAVENOUS INJECTIONS FROM MEDIC AL PERSONNEL. INHALATION: REM OVE TO FRESH


AIR/CPR. EYE: FLUSH WITH PLENTY OF WATER. SKIN: REMOVE CONTAMINATED CLOTHING & WASH SKIN. INGESTION: GIVE 1% SODIUM THIOSULFATE SOLUTION & INDUCE VOMITING.

Extinguishing Media:USE WATER FOG, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A

FULL FACED SELF CONTAINED BREATHING APPARATUS. DO NOT! ALLOW RUNOFF
INTO SEWERS OR WATERWAYS.

Unusual Fire/Expl



AID AND MEDICAL TREATMENT SUPPLIES INCLUDING OXYGEN RESUSCITATORS.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

DO NOT WEAR CONATCT LENSES WHEN USING THIS MATERIAL. CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL RETAIN PRODUCT RESIDUE A

ND

VAPORS. ALWAYS OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS I F THEY WERE FULL.

======== Physical/Chemical Properties ==========

HCC:T2

Boiling Pt:B.P. Text:2725F,1496C

Melt/Freeze Pt:M.P/F.P Text:1047F,564C

Spec Gravity: 1.6

Solubility in Water: APPRECIABLE

Appearance and Odor:WHITE CRYSTALLINE POWDER OR LUMPS, SLIGHT AMMONIA

OR CYANIDE (ALMOND) ODOR (WET

======== Stability and Reactivity Data ==========

Stability Indicator/Materials

to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:POISONOUS HYDROGEN CYANIDE AND AMMONIA GASES.

======= Disposal Considerations ============

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. NOTE: EMPTY CONTAINERS CAN HAVE RESIDUES AND ARE SUBJECT TO PROPE R WASTE

DISPOSAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.