

KOP-COAT INC -- TT-P-1757A, TY 1, VOC COMPLIANT YELLOW P813 -- 8010-00-297-0593

=====  
Product Identification  
=====

Product ID:TT-P-1757A, TY 1, VOC COMPLIANT YELLOW P813

MSDS Date:02/01/1991

FSC:8010

NIIN:00-297-0593

MSDS Number: BNWLC

=== Responsible Party ===

Company Name:KOP-COAT INC

Address:5431 DISTRAICT BLVD

City:LOS ANGELES

State:CA

ZIP:90058

Country:US

Info Phone Num:213-560-5700

Emergenc

y Phone Num:213-560-5700

Preparer's Name:C A HOPE

CAGE:00297

=== Contractor Identification ===

Company Name:KOP-COAT INC

Address:436 7TH AVENUE

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

Phone:800-553-5631, CHEMTREC 800-424-9300

CAGE:00297

=====  
Composition/Information on Ingredients  
=====

Ingred Name:1,1,1-TRICHLOROETHANE

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 30-35%

Other REC Limits:NIOSH 25 PPM

OSHA PEL:350 PPM/450 PPM STEL

ACGIH TLV:350 PPM/450 PPM STEL

EPA

Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS  
Ozone Depleting Chemical:1

Ingred Name:TALC  
CAS:14807-96-6  
RTECS #:WW2710000  
Fraction by Wt: 1-5%  
Other REC Limits:NIOSH 2 PPM  
OSHA PEL:2 MG/M3 RESP DUST  
ACGIH TLV:2 MG/M3 RESP DUST

Ingred Name:LEAD (SARA 313)  
CAS:7439-92-1  
RTECS #:OF7525000  
Fraction by Wt: .1-.5%  
Other REC Limits:NIOSH 500 PPM 1,1,1-TCE FULL-FACE UNIT; TO 1000 PPM CARTRIDGE  
UNIT OK (LIMITED TIME); >10 00 PPM AIR SUPPLY/SELF CONTAINED UNIT.  
Ventilation:PROVIDE SUFF GEN/LOCAL EXHAUST V  
ENT TO CONTROL INHAL  
EXPOSURES BELOW TLV/LEL. LOCAL EXHAUST NECESSARY-ENCLOSED/CONFINED.  
Protective Gloves:HEAVY NEOPRENE OR EQUAL.  
Eye Protection:GOGGLES, FACE SHLD, SFTY GLS W/SIDE SHLD  
Other Protective Equipment:WEAR INDUST WRK CLOTH, DEPENDING ON WRK  
COND- CONTACT POTENTIAL (HEAD/NECK COVER, APRONS, JACKETS,  
COVERALLS, BOOTS ETC)  
Work Hygienic Practices:WASH CONTAM CLOTHING BEFORE REUSE. WASH BEFORE  
EATING, DRINKING, USING TOBACCO OR REST ROOMS.  
Supplemental Safety and Health

DON'T WEAR CONTACT LENS W/OUT PROPER EYE PROTECTION. DISCARD CONTAM  
FOOTWEAR. DON'T WEAR CONTAM CLOTHING. IF DRY THEN DISPERSED IN AIR,  
CHECK EXPOSURES OF CHROMIUM/ZINC/ETC. EMPTY CNTNRS MAY RETAIN PR OD  
EXPLOS/FLAMM RESIDUE. DON'T CUT, DRILL, GRIND OR WELD ON OR NEAR  
CNTNRS.

===== Physical/Chemical Properties =====

HCC:F2  
Spec Gravity:11.5 LBS/GAL  
Appearance and Odor:YELLOW VISCOUS LIQUID WITH TYPICAL SOLVENT ODOR.

===== Stability and

Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

AVOID ACIDS, REDUCING AGENTS, OXIDIZING AGENTS, HEAT, SPARKS AND OPEN FLAME.

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE UPON THERMAL DECOMPOSITION, OXIDES OF ZINC AND CHROMIUM.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (

provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.