

BF GOODRICH, ADHESIVE SYSTEMS DIVISION -- A1177B2 -- 8040-00-900-6296

=====  
Product Identification  
=====

Product ID:A1177B2

MSDS Date:09/25/1991

FSC:8040

NIIN:00-900-6296

Kit Part:Y

MSDS Number: BNWPP

=== Responsible Party ===

Company Name:BF GOODRICH, ADHESIVE SYSTEMS DIVISION

Address:123 WEST BARTGES ST.

City:AKRON

State:OH

ZIP:44311

Country:US

Info Phone Num:216-374-2824

Emergency Phone Num:21

6-374-5143

Preparer's Name:C. PEARSON

CAGE:KO011

=== Contractor Identification ===

Company Name:BF GOODRICH, ADHESIVE SYSTEMS DIVISION

Address:123 WEST BARTGES STREET

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824 / 216-374-5036

CAGE:KO011

Company Name:SIA ADHESIVES INC

Address:123 W BARTGES ST

Box:City:AKRON

State:OH

ZIP:44311-1081

Country:US

Phone:330-374-2786 / 330-374-2900

CAGE:1HS43

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYAMIDE

CAS

:68410-23-1  
Fraction by Wt: 50%  
Other REC Limits:NONE SPECIFIED

Ingred Name:CALCIUM CARBONATE  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 50%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:SOME PEOPLE MAY DEVELOP ALLERGIC REACTION.  
Effects of Overexposure:MINOR TRANSIENT IRRITATION OF EYES AND SKIN.  
Medical Co  
nd Aggravated by Exposure:SKIN RASHES.

===== First Aid Measures =====

First Aid:FLUSH EYE WITH WATER FOR 15 MINUTES HOLDING EYE LIDS OPEN.  
SEE A PHYSICIAN. WASH SKIN WITH SOAP AND WATER. SEE A PHYSICIAN IF  
A RASH DEVELOPS. REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION  
IF NOT B REATHING. CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:365F,185C  
Extinguishing Media:  
WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT  
PROPER PROTECTIVE EQUIPMENT, INCLUDING A NIOSH APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:FIRES MAY GIVE OFF TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID EYE AND SKIN CONTACT. SCRAPE UP OR  
ABSORB AND PLACE IN CONTAINER FOR DISPOSAL.

===== Handling and Stor

age =====

Handling and Storage Precautions:STORE IN A COOL DRY AREA AWAY FROM SOURCES OF HEAT. KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NECESSARY. USE ORGANIC VAPOR FOR FUMES FROM HEATED MATERIAL.

Ventilation:LOCAL AT A POINT OF CORE OR HEATING.

Protective Gloves:NEOPRENE.

Eye Protection:GOGGLES.

Other Protective Equipment:EYE WASH AND SHOWER IN AREA.

Supplemental Safety and Health

h

KEY1;T6.

===== Physical/Chemical Properties =====

HCC:T6

Boiling Pt:B.P. Text:>400F

Decomp Temp:Decomp Text:>400F

Spec Gravity:1.422

Viscosity:>50,000CPS

Solubility in Water:NIL

Appearance and Odor:THICK BROWN LIQUID, AMINE COLOR.

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

EPOXY TYPE MATERIALS IN UNCONTROLLED CONDITIONS.

Hazardous Decomposition Products:CARBON DIO

XIDE, CARBON MONOXIDE,

AMMONIA AND OTHER FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZAEDOUS.

DISCARD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATION.

INCINERATION IS THE PREFERRED METHOD.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner w

hatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.