

HULS AMERICA INC/NUODEX INC -- MIL-H-5606E P/N 0425303 -- 9150-00-082-7524

=====  
Product Identification  
=====

Product ID:MIL-H-5606E P/N 0425303

MSDS Date:11/22/1988

FSC:9150

NIIN:00-082-7524

MSDS Number: BPBHY

=== Responsible Party ===

Company Name:HULS AMERICA INC/NUODEX INC

Address:80 CENTENNIAL AVE

Box:456

City:PISCATAWAY

State:NJ

ZIP:08855-0456

Country:US

Info Phone Num:201-980-6800

Emergenc

y Phone Num:201-763-7173

Preparer's Name:P.A. PARKER

CAGE:63812

=== Contractor Identification ===

Company Name:HULS AMERICA INC/NUODEX INC

Address:80 CENTENNIAL AVE

Box:456

City:PISCATAWAY

State:NJ

Country:US

Phone:908-981-5000

CAGE:4W595

Company Name:HULS AMERICA INC/NUODEX INC

Address:80 CENTENNIAL AVE

Box:City:PISCATAWAY

State:NJ

ZIP:08855-0456

Country:US

Phone:201-980-6800

CAGE:63812

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM HYDROCARBONS (PR

OPRIETARY MIXTURE)

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: VAPOR MAY CAUSE SKIN OR EYE IRRITATION. VAPORS OR FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION IF INHALED. MAY BE HARMFUL IF SWALLOWED.

Explanation of Carcinogenicity:DATA PER MSDS

Effects of Overe

xposure:INHALED: COUGHING, SNEEZING, WHEEZING, SHORTNESS OF BREATH, NAUSEA, VOMITING. EYES: REDNESS, TEARING, DISCOMFORT. SKIN: REDNESS, ITCHING. INGESTED: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING.

GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:220F,104C

Lower Limits:1.0

Upper Limits:6.0

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. CONTAINERS MAY BURST DUE TO EXTREME HEAT BUILD UP.

===== Ac

cidental Release Measures =====

Spill Release Procedures:COVER WITH INERT MATERIAL, SCOOP UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT USE ABOVE 220F. WIPE UP SPILLS IMMEDIATELY.

Other Precautions:AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF OVERHEATED; USE NIOSH/MSHA APPROVED RESPIRATOR. IF RESPIRATOR USED; A PROGRAM IN ACCORDANCE WITH 29 CFR 1910.134 MUST BE IMPLEMENTED.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONATAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:0.07 MM HG

Spec Gravity: