

VARFLEX CORPORATION -- BLACK UNTREATED NYLON SLEEVING -- 5970-01-098-4496

=====  
Product Identification  
=====

Product ID:BLACK UNTREATED NYLON SLEEVING

MSDS Date:02/21/1992

FSC:5970

NIIN:01-098-4496

MSDS Number: BPGDY

=== Responsible Party ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

City:ROME

State:NY

ZIP:13440

Country:US

Info Phone Num:315-336-4400

Emergency Phone Num:315-3

36-4400

Preparer's Name:JAMES SMALL

CAGE:79074

=== Contractor Identification ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:NY

ZIP:13440

Country:US

Phone:315-336-4400

CAGE:79074

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ADIPIC ACID (SARA III)

CAS:124-04-9

RTECS #:AU8500000

ACGIH TLV:5 MG/M3 9394

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:POLYAMIDE FIBER, NYLON 6.6 FIBER

Other REC Limits:10 MG FIBER/M3

O

SHA PEL:15 MG/M3  
ACGIH TLV:3.5 MG/M3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO ADVERSE HEALTH EFFECTS.  
Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:NO TOXICOLOGICAL EFFECTS REPORTED.

=====  
Fire Fighting Measures  
=====

Flash Point:581F,305C  
Autoignition Temp:Autoignition Temp Text:NONE  
Extinguishing Media:WATER OR OTHER CLASS A EXTINGUISHING AGENT.  
Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NYLON FIBER IS A COMBUSTIBLE THERMOPLASTIC MATERIAL AND MAY MELT AND DRIP AND PRODUCE HEAVY BLACK SMOKE WHEN BURNED.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:GOOD INDUSTRIAL HYGIENE.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:USE LOCAL EXHAUST  
Work Hygienic Practices:WASH AND SHOWER NORMALLY AT END OF WORKDAY.  
Supplemental Safety and Health  
NONE

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:490F,254C  
Spec Gravity:1.14  
Solubility in Water:SLIGHTLY IN 212F H2O  
Appearance and Odor:NONSHRINKABLE BLACK PLASTIC TUBING WITH

TH 0.036 INCH  
WALL THICKNESS. NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: ABOVE 660F, DECOMPOSITION PRODUCTS MAY  
INCLUDE CO, HCN, NO, INDEFINED HYDROCARBON AND FRAGMENTS OF  
ORIGINAL MONOMER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.