

FAIRPRENE INDUSTRIAL PRODUCTS CO, INC -- ARMALONG XT-7700 -- 5330-01-011-1760  
===== Product Identification =====

Product ID:ARMALONG XT-7700

MSDS Date:11/19/1984

FSC:5330

NIIN:01-011-1760

MSDS Number: BPKPH

=== Responsible Party ===

Company Name:FAIRPRENE INDUSTRIAL PRODUCTS CO, INC

Address:85 MILL PLAIN ROAD

City:FAIRFIELD

State:CT

ZIP:06430

Country:US

Info Phone Num:203-259-3351

Emergency Phone

Num:203-259-3351

CAGE:0JYP3

=== Contractor Identification ===

Company Name:FAIRPRENE INDUSTRIAL PRODUCTS CO, INC

Address:85 MILL PLAIN ROAD

Box:City:FAIRFIELD

State:CT

ZIP:06430

Country:US

Phone:203-259-3351

CAGE:0JYP3

Company Name:LUCAS WESTERN INC, FLIGHT STRUCTURES DIVISION

Address:2604 HIGHWAY 20 NORTH

Box:City:JAMESTOWN

State:ND

ZIP:58401

Country:US

Phone:701-252-2650

CAGE:31645

===== Composition/Information on Ingredients =====

Ingred Name:TETRAFLUOROETHYLENE

Fraction b

y Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NO INFORMATION GIVEN ON MSDS BY MFR.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MANUFACTURER SAID "N/A" FOR ALL HEALTH  
FIELDS. HMIS BELIEVES THAT THE INERTNESS OF THE MATERIAL INDICATES  
THAT IT PRESENTS NO HEALTH HAZARDS UNDER NORMAL USE.

Explanation of Carcinogenicity:SUPPLIER DID NOT ADDRESS THIS FIELD.

Effects

of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY  
MFR.

=====  
===== First Aid Measures =====

First Aid:SUPPLIER LEFT THIS FIELD BLANK. HMIS: USE NORMAL ACCEPTED  
FIRST AID TECHNIQUES AND GET MEDICAL ASSISTANCE.

=====  
===== Fire Fighting Measures =====

Flash Point:DOES NOT FLASH

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:TEFLON HAS OXYG

EN INDES GREATER THAN 30 & WILL

NOT SUPPORT COMBUSTION IN AIR OR PROPAGATE FLAME. IN EXTREME FIRE,  
PROTECT FROM HYDROGEN FLUORIDE FUMES.

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT SMOKE WHEN PROCESSING TEFLON  
FELT. WASH HANDS AFTER USING. ESPECIALLY BEFORE SM  
OKING.

Other Precautions:ABOVE 250C TEFLON CAN EVOLVE TOXIC GASEOUS MATERIALS.

=====  
===== Exposure Controls/Personal Protection =====

Other Protective Equipment:MANUFACTURER USED "N/A" FOR ALL PERSONAL  
PROTECTION FIELDS.

Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE  
PRACTICE. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

NONE

=====  
===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Sol

ubility in Water:NIL

Appearance and Odor:FROWN FIBROUS FELT, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SUPPLIER LEFT THIS FIELD BLANK.

Stability Condition to Avoid:TEMPERATURES ABOVE 250C

Hazardous Decomposition Products:HYDROGEN FLUORIDE AND PERFLUOROCARBON  
OLEFINS ARE EVOLVED ABOVE 250C.

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste

Disposal Methods:DISPOSAL METHOD MUST COMPLY WITH ALL FEDERAL,  
STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verif

y and

assume responsibility for the suitability of this information to their  
particular situation.