View NSN Online: https://aerobasegroup.kr/nsn/1377-00-276-2370

UNIVERSAL PROPULSION CO INC -- 112123-5, SAFE ARM ASSEMBLEY -- 1377-00-276-2370

Product ID:112123-5, SAFE ARM ASSEMBLEY MSDS Date:05/28/1992 FSC:1377 NIIN:00-276-2370 MSDS Number: BPNYM === Responsible Party === Company Name: UNIVERSAL PROPULSION CO INC Address:25401 NORTH CENTRAL AVE City:PHOENIX State:AZ ZIP:85029-7838 Country:US Info Phone Num:602-869-8067 Emer gency Phone Num:602-869-8067;602-234-6663 Preparer's Name: M. MAGENOT CAGE:51998 === Contractor Identification === Company Name: UNIVERSAL PROPULSION CO Address:25401 N CENTRAL AVENUE Box:City:PHOENIX State:AZ ZIP:85027-7899 Country:US Phone:602-516-3340 CAGE:51998

Ingred Name:PERCUSSION PRIMER (PVU 2/A) Fraction by Wt: 0.25%

Ingred Name: IGNITION MATERIAL INCLUDING INGREDIENTS 3-5 RTECS #:99999992Z

Ingred Name:STILBENE, HEXAN

ITRO-;(HEXANITROSTILBENE (C*14N*6O*12H*6)) RTECS #:WJ6700000 Fraction by Wt: 0.272% Ingred Name: LEAD AZIDE (PVA) CAS:13424-46-9 RTECS #:OF8650000 Fraction by Wt: 0.616% OSHA PEL:0.05 MG/M3 ACGIH TLV:0.15 MG/M3 Ingred Name: BORON POTASSIUM NITRATE; (BKNO*3) Fraction by Wt: 0.240% LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO O SHA:NO Health Hazards Acute and Chronic:NONE UNDER NORMAL HANDLING. AVOID INHALATION OF PRODUCTS OF COMBUSTION. Effects of Overexposure:NOT APPLICABLE. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: EYE: FLUSH WITH POTABLE WATER FOR A MINUMUM OF 15 MINUTES. GET MD . INHAL: MOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD (FP N). INGEST:CALL MD IMMEDIATELY . Extinguishing Media:NONE. Fire Fighting Procedures: DO NOT FIGHT FIRE. IF IGNITION OCCURS EVACUATE AREA UNTIL UNITS HAVE BURNED. Unusual Fire/Explosion Hazard: CLASSIFIED AS DOT CLASS C DETONATING FUSE. NET EXPLOSIVE WEIGHT (NEW)=2.378 GMS.

Spill Release Procedures: AN UNDAMAGED UNIT MAY BE PICKED UP AND RETURN

ED TO ORIGNIAL CONTAINER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: HANDLE AND STORE AS CLASS 1.4 COMPATIBILITY GROUP S EXPLOSIVE IN ACCORDANCE WITH DOD 4145.26M, FED, STATE & LOC LAWS. DO NOT EXPOSE TO HEAT OR FLAME.
Other Precautions: DO NOT EXPOSED TO ELECTRICAL DISCHARGE OF ANY SORT. DO NOT DROP OR ROUGH HANDLE. AVOID APPLYING PNEUMATIC PRESSURE TO ANY PORT. DO NOT R
EMOVE SAFETY PIN UNTIL INSTALLED IN AIRCRAFT.

Respiratory Protection:NONE. Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:NONE. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:FLAME RESISTANT CLOTHING RECOMMENDED. Work Hygienic Practices:NORMAL PRACTICES. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Appe arance and Odor:METAL PART. NO ODOR

Stability Indicator/Materials to Avoid:YES NOT APPLICABLE. Stability Condition to Avoid:NOT APPLICABLE. Hazardous Decomposition Products:MAY CONTAIN LEAD COMPOUNDS.

Waste Disposal Methods: IF UNIT IS DAMAGED OR NEEDS TO BE DISPOSED OF FOR ANY REASON, IT SHOULD BE DISPOSED OF BY PERSONNEL QUALIFIED TO DISPOSE OF EXPL

OSIVES AT AN APPROVED DISPOSAL SITE UNDER APPROVED PROCEDURES.DISPOSAL M UST BE I/A/W LOCAL, STATE & FED REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent pr ofessional advice to verify and assume responsibility for the suitability of this information to their particular situation.