View NSN Online: https://aerobasegroup.kr/nsn/6505-01-332-9024

PARK DAVIS DIV WARNER LAMBERT CO -- 0714475 DILATIN INJECTION, 50 MG/ML 6505-01-332-9024

Product ID:0714475 DILATIN INJECTION, 50 MG/ML MSDS Date:05/01/1991 FSC:6505 NIIN:01-332-9024 **MSDS Number: BPPHY** === Responsible Party === Company Name: PARK DAVIS DIV WARNER LAMBERT CO Address:201 TABOR RD City:MORRIS PLAINS State:NJ ZIP:07950-2614 Country:US Info Phone Nu m:201-540-2000 Emergency Phone Num:201-540-2000 Preparer's Name: ROY MUELLER CAGE:EO180 === Contractor Identification === Company Name: PARK DAVIS DIV WARNER LAMBERT CO Address:201 TABOR RD Box:City:MORRIS PLAINS State:NJ ZIP:07950-2614 Country:US Phone:201-540-2000 CAGE:EO180 Company Name: PARK-DAVIS, DIV OF WARNER LAMBERT CO Address:201 TABOR ROAD Box:City:MORRIS PLAINS State:NJ ZIP:07950 Country:US Phone:201-540-2000 CAGE:93874 Company Name: PARKE-DAVIS DIV OF WARNER-LAMBERT CO Address: JOS CAMPAU

AT THE RIVER Box:City:DETROIT State:MI ZIP:48232 Country:US CAGE:91378 Company Name:WARNER-LAMBERT CO Address:201 TABOR ROAD Box:City:MORRIS PLAINS State:NJ ZIP:07950-2614 Country:US Phone:201-540-2000 CAGE:82559

Ingred Name:PHENYTOIN, USP (5,5-DIPHENYLHYDANTOIN) CAS:57-41-0 RTECS #:MU1050000 Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 10% Other REC Lim its:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9293

Ingred Name:PROPYLENE GLYCOL CAS:57-55-6 RTECS #:TY2000000 Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE MILD SKIN AND EYE IRRITATION ON CONTACT. THERAPUTIC EFFECTS ARE: CENTRAL NERVOUS SYSTEM EFFECTS, POSSIBLE BIR

<ul> <li>TH DEFECTS IF USED DURING PREGNANCY.</li> <li>Explanation of Carcinogenicity:PHENYTOIN IS LISTED AS A CARCINOGEN.</li> <li>Effects of Overexposure:SKIN: RASH, ITCHING, INFLAMMATION AT INJECTION SITE. EYES: REDNESS, TEARING. THERAPUTIC: RAPID EYE MOVEMENT (NYSTAGMUS), SLURRED SPEECH, DROWSINESS, DECREASED COORDINATION, AND MENTAL CONFUSION.</li> <li>Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.</li> </ul>
======================================
First Aid:INHALED: REMOVE TO FRESH AIR, GET MEDICAL HELP. EYES: FLUSH WITH WATER FOR 15 MINUTES; GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER UNTIL RESIDUE IS GONE. INGESTED: DO NOT INDUCE VOMITING! GE T IMMEDIATE MEDICAL HELP.
======================================
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR. Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID (C ONTAINS LESS THAN 10% ETHYL ALCOHOL).
======================================
Spill Release Procedures: PREVENT EXPOSURE. WEAR PROPER PROTECTIVE CLOTHING AND EQUIPMENT. COLLECT SPILLED MATERIAL; PLACE WASTE IN A LABELED, SEALED CONTAINER FOR LATER DISPOSAL. WASH CONTAMINATED SURFACES WITH SOAP AND WATER. Neutralizing Agent: 5% ACETIC ACID
======================================
Handling and Storage Precautions:STORE AS ST ATED IN MANUFACTURER'S PRODUCT LABEL. Other Precautions:MATERIAL SHOULD BE HANDLED SO AS TO PREVENT CONTACT WITH SKIN AND EYES. USE HAND AND EYE PROTECTION WHEN USING THIS MATERIAL.
======================================
Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. NONE NORMALLY REQUIRED. Ventilation:NONE SPECIFIED BY MANUFACTURER. NORMAL ROOM VENTILATION SHOULD BE ADEQUATE. Protective Gloves:RUBBER OR PVC Eye Protection:SAFETY GLASSES

 /CHEMICAL SPLASH GOGGLES
 Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER
 Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
 Supplemental Safety and Health
 THERAPUTIC CLASS: ANTICONVULSANT.

HCC:B3 Spec Gravity:1.032 pH:>12.1 Appearance and Odor:CLEAR, COLORLESS, ODORLESS LIQUID

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. MATERIAL IS A CORROSIVE, DISPOSE OF ACCORDINGLY. MANUFACTURER RECOMMENDS INCINERATION IN A PERMITTED FACILITY.

Di

sclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.