View NSN Online: https://aerobasegroup.kr/nsn/6505-00-161-2950

PARK DAVIS DIV WARNER LAMBERT CO -- 00714173-35 THROMBOSTAT 5000 UNITS

6505-00-161-2950

Product ID:00714173-35 THROMBOSTAT 5000 UNITS

MSDS Date:07/18/1991

FSC:6505

NIIN:00-161-2950

MSDS Number: BPPKM === Responsible Party ===

Company Name: PARK DAVIS DIV WARNER LAMBERT CO

Address:201 TABOR RD City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Info Phone Num:

201-540-2000

Emergency Phone Num:201-540-2000

Preparer's Name: ROY MUELLER

CAGE:EO180

=== Contractor Identification ===

Company Name: PARK DAVIS DIV WARNER LAMBERT CO

Address:201 TABOR RD Box:City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Phone:201-540-2000

CAGE:EO180

Company Name: PARK-DAVIS DIV OF WARNER LAMBERT LTD

Address:201 TABOR ROAD Box:City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US


Phone:201-540-2000

CAGE:2T119

Company Name: PARK-DAVIS, DIV OF WARNER LAMBERT CO

Address:201 TAB

OR ROAD
Box:City:MORRIS PLAINS
State:NJ
ZIP:07950
Country:US Phone:201-540-2000
CAGE:93874
Company Name:PARKE-DAVIS DIV OF WARNER-LAMBERT CO
Address: JOS CAMPAU AT THE RIVER
Box:City:DETROIT
State:MI
ZIP:48232
Country:US
CAGE:91378
======= Composition/Information on Ingredients ========
·
Ingred Name:THROMBIN
CAS:9002-04-4
Other REC Limits:NONE RECOMMENDED
========= Hazards Identification ===========
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Report to of Corping genicity (NTD-NO LABC) NO OSLIA NO
ts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THERAPUTIC SIDE EFFECTS: SENSITIVITY
AND ALLERGIC REACTIONS.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALED: REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION. EYES:
FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCT
OR. SKIN: WASH
WITH SOAP AND WATER UNTIL FREE FROM RESIDUE. INGESTION: GET MEDICAL ATTENTIO N.
ATTENTION.
======================================
Floob Boints 200E > 02C
Flash Point:>200F,>93C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, OR WATER SPRAY
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
BUNKER GEAR.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======== Accidental Release Measures =========
Snill Release



Procedures: WIPE UP OR MOP SPILLED MATERIAL. WASH ALL

FEDERAL REGULATIONS. MANU

FACTURER RECOMMENDS INCINERATION AT A PERMITTED FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.