

ANACHEMIA CANADA INC -- PELLET LEWISITE DETECTING HCSDS NO:20101 -- 6665-01-133-4964
===== Product Identification =====

Product ID:PELLET LEWISITE DETECTING HCSDS NO:20101

MSDS Date:07/26/1991

FSC:6665

NIIN:01-133-4964

Kit Part:Y

MSDS Number: BPQXJ

=== Responsible Party ===

Company Name:ANACHEMIA CANADA INC

Address:500 2ND AVE

City:VILLE ST. PIERRE QUE CAN H8R 1M3

State:NY

ZIP:12979

Country:CN

In

fo Phone Num:514-489-5711

Emergency Phone Num:514-489-5711

Preparer's Name:MSDS DEPARTMENT

CAGE:36842

=== Contractor Identification ===

Company Name:ANACHEMIA CANADA

Address:255 NORMAN H8R 1A3

Box:City:VILLE ST. PIERRE (MONTREAL)

State:PQ

Country:CN

Phone:514-489-5711;518-297-4444

CAGE:36842

===== Composition/Information on Ingredients =====

Ingred Name:BALL CLAY (10-30% QUARTZ).SILICA,CRYSTALLINE-FUSED
QUARTZ.ACGIH TLV IS FROM INTENDED CHANGE LIST 1991-92.

CAS:14808-60-

7

RTECS #:VV7330000

Fraction by Wt: 4.63%

Other REC Limits:NOT KNOWN

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

Ingred Name:AMORPHOUS SILICA GEL.ACGIH TLV FOR TOTAL DUST CONTAINING NO
ASBESTOS AND