

BAKER SEALANTS AND COATINGS CO -- RAW LINDSEED OIL -- 8010-00-656-1639

=====
Product Identification
=====

Product ID:RAW LINDSEED OIL
MSDS Date:10/05/1989
FSC:8010
NIIN:00-656-1639
MSDS Number: BPRJF
=== Responsible Party ===
Company Name:BAKER SEALANTS AND COATINGS CO
Address:234 SUYDAM AVE
Box:B
City:JERSEY CITY
State:NJ
ZIP:07304-3306
Country:US
Info Phone Num:201-333-6986 / FAX 201-333-6955
Em
ergency Phone Num:201-333-6986
Preparer's Name:MARIO NAVARRO
CAGE:34094

==== Contractor Identification ====

Company Name:BAKER SEALANTS AND COATINGS CO
Address:234 SUYDAM AVE
Box:City:JERSEY CITY
State:NJ
ZIP:07304-3306
Country:US
Phone:201-333-6986
CAGE:34094

Company Name:STEVEN INDUSTRIES
Address:39 AVENUE C
Box:8
City:BAYONNE
State:NJ
ZIP:07002-3417
Country:US
Phone:201-437-6501
CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:LINSEED OIL (RAW LINSEE

D OIL IS NOT A HAZARDOUS MATERIAL
(UNDER CURRENT DEPARTMENT OF LABOR DEFINITIONS)

CAS:8001-26-1

RTECS #:O19690000

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH CLEAN WATER FOR 15 MINUTES. SKIN: WASH WITH
SOAP AND WATER AND OBSERVE ROUTINE HYGIENIC
PRACTICES.

=====
Fire Fighting Measures
=====

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE,
Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING IF DIRECTED INTO
CNTNR OF BURNING LIQUID. FIRE FIGHTER SHOULD WEAR PROTECTIVE
CLOTHES. USE WATER TO KEEP FIRE EXPOSED CNTNRS COOL.

=====
Accidental Release Measures
=====

Spill Release Procedures:LARGE SPILLS:
MAY BE SCOOPED UP AND PUT INTO
CONTAINERS OR SALVAGED. SMALL SPILLS: SPILL MAY BE PICKED UP WITH
ABSORBENT MATERIAL AND TRANSFERRED TO CONTAINERS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES AND
FLAMES. DO NOT BREATHE SPRAY MIST.

Other Precautions:AVOID SPONTANEOUS COMBUSTION OF CONTAMINATED RAGS &
EASILY IGNITABLE ACCUMULATIONS (SUCH AS SPRAY BOOTH RESIDUES) BY
IMMEDIATE IMMERSION IN

WATER. EMPTIED CONTAINERS MAY RETAIN
RESIDUES OF PRODUCT. DO NOT CUT, PUNCTURE, WELD ON/NEAR CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY NEEDED
Protective Gloves: NEOPRENE RUBBER GLOVES
Eye Protection: GOGGLES OR SIDE SHIELD SPECTACLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: N1
Spec Gravity: 0.92
Appearance and Odor: AMBER LIQUID
Percent Volatiles by Volume: 0

=
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
AVOID CONTACT WITH STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDES ARE
POSSIBLE

===== Disposal Considerations =====

Waste Disposal Methods: SEE OTHER PRECAUTIONS BELOW. CAREFULLY
INCINERATE OR USE SECURE LANDFILL IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.