

R.H.CARLSON COMPANY,INC. -- NORSIL RTV 138 -- 8040-00-938-1535

=====
Product Identification
=====

Product ID:NORSIL RTV 138

MSDS Date:02/13/1992

FSC:8040

NIIN:00-938-1535

Kit Part:Y

MSDS Number: BPRLY

=== Responsible Party ===

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Info Phone Num:203-531-5500

Emergency Phone Num:800-424-9

300(CHEMTREC)

Preparer's Name:W.J. BUCHLER

CAGE:33530

=== Contractor Identification ===

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:MAY CAUSE IRRITATION. AVO

HAZARD IDENTIFICATION

WITH SKIN, EYES, CLOTHING, DIRECT CONTACT WITH UNCURED PRODUCT OR ITS VAPORS MAY CAUSE SLIGHT IRRITATION. INHALATION OF VAPORS MAY PRODUCE RESPIRATORY IRRITATION. INGESTION OF THE MATERIAL MAY PRODUCE ABDOMINAL PAIN AND DIARRHEA.

===== First Aid Measures =====

First Aid:INGEST: DONT INDUCE VOMIT. IF VOMIT OCCURS, GIVE FLUID. DETERMINE IF PERMISSIBLE TO EVACUATE STOMACH/INDUCE VOMITING. DONT GIVE FLUID TO UNCONSCIOUS PERSON. SKIN: FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED CLOTHES/SHOES. SEEK MED AID IF IRRITATION OCCURS. EYE: IMMEDIATELY FLUSH W/WATER 15 MIN HOLD LIDS APART. DONT NEUTRALIZE CHEMICAL. CONTINUE TREATMENT UNTIL GET MED AID. INHALE: MOVE FROM AREA. SEEK *

===== Fire Fighting Measures =====

Fire Fighting Procedures:NO EXPOSURE TO FIRE/SMOKE/FUMES/PRODUCTS OF COMBUSTION. EVACUATE NON-ESSENTIAL PERSONNEL. FULL-FACE SELF-CONTAINED BREATHING APPARATUS/IMPERVIOUS PROTECTIVE * Unusual Fire/Explosion Hazard:N/K *CLOTHING. USE STANDARD FIREFIGHTING TECHNIQUES.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP W/SUITABLE ABSORBENT: SAWDUST/CLAY/OIL ABSORBER. SWEEP UP ABSORBED MATERIAL/PLACE IN CHEMICAL WASTE DRUM FOR DISPOSAL. WASH W/DETERGENT/WATER/FLUSH. LARGE: DIKE/PUMP INTO DRUM FOR SALVAGE/DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W/SKIN/EYES, USE ONLY IN A WELL VENTILATED AREA. Other Precautions:*MED AID IF BREATHING DIFFICULT. OXYGEN-PHYSICIAN ADVICE. MOUTH TO MOUTH ARTIFICIAL RESPIRATION IF NOT BREATHING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPORS GENERATED, MATERIAL SHOULD BE HANDLED IN OPEN/WELL VENTILATED AREA. WHERE ADEQUATE VENTILATION NOT AVAILABLE, USE NIOSH APPROVED ORGANIC VAPOR RESPIRATORS

. HIGHER

LEVEL OF PROTECTION: POSITIVE AIR SUPPLY RESPIRATOR RECOMMENDED.

Ventilation: LOCAL EXHAUST REQUIRED AND GENERAL MECHANICAL VENTILATION IS SUGGESTED IN A CLOSED AREA.

Protective Gloves: PLASTIC FILM/RUBBER GLOVES

Eye Protection: SAFETY GASSES

Other Protective Equipment: PROTECTIVE APRON OR COVERALLS

Work Hygienic Practices: FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICES. NO HEAT/SPARKS/FLAMES. AVOID PROLONGED VAPOR BREATHING/CONTACT W/SKIN/EYES.

Supplemental Safety and Health

CONT

ACT LENS WEARERS TAKE APPROPRIATE PRECAUTION. STORE IN COOL DRY PLACE/KEEP FROM HEAT/SPARKS/FLAME. PRODUCT EVOLVES SLIGHT AMOUNTS OF ACETONE WHEN EXPOSED TO WATER OR HUMID AIR. OBSERVE LIMITS FOR ACETONE FORMED ON EXPOSURE TO WATER/HUMID AIR OSHA PEL/ACGIH TLV 750 PPM.

===== Physical/Chemical Properties =====

Vapor Pres: NEGLIGIBLE

Vapor Density: >1 (AIR=1)

Spec Gravity: 1.05

Evaporation Rate & Reference: LESS THAN 1 (BU AC=1)

Solubility in Water: NE

GLIGIBLE

Appearance and Odor: MILKY-WHITE OR CLEAR PASTE WITH SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZING MATERIAL CAN CAUSE A REACTION, REACTS WITH ACIDS, AND WATER, LIBERATING ACETONE.

Stability Condition to Avoid: EXPOSURE TO OXIDIZING MATERIAL UNTIL READY FOR USE.

Hazardous Decomposition Products: SILICONE DIOXIDE, CARBON DIOXIDE, CARBON MONOXIDE, ACETONE.

===== Disposal Cons

iderations =====

Waste Disposal Methods: MATERIAL THAT CANNOT BE USED SHOULD BE DISPOSED OF IN AN EPA AUTHORIZED FACILITY. DISPOSE OF EMPTY CONTAINERS ACCORDING TO ANY APPLICABLE REGULATIONS UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or imple

d, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.