View NSN Online: https://aerobasegroup.kr/nsn/6830-00-782-3930

Product ID:HALOCARBON 22 MSDS Date:11/25/1985 FSC:6830 NIIN:00-782-3930 MSDS Number: BPXDX === Responsible Party === Company Name:MG INDUSTRIES Address:2460 BOULEVARD OF THE GENERALS Box:945 **City:VALLEY FORGE** State:PA ZIP:19482 Country:US Info Phone Num:215-630-5422 Emergency Phone Num:215-630-5422 CAGE:08772 === Contractor Identification === Company Name:MG INDUSTRIES Address:3 GREAT VALLEY PKY Box:City:MALVERN State:PA ZIP:19355-1424 Country:US Phone:610-695-7400 / 610-695-7449 CAGE:08772 Company Name: PHOENIX INDUSTRIES INC Address:11711 S ALAMEDA ST Box:54083 **City:LOS ANGELES** State:CA ZIP:90054 Country:US Phone:213-564-5711 CAGE:0MLP0

Ingred Name:DICHLORODIFLUOROMETHANE CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS **Ozone Depleting Chemical:1** Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Health Hazards Acute and Chronic: EXPOSURE TO THE LIQUID OR CONCENTRATED VAPOR MAY CAUSE SKIN OR EYE IRRITATION. Effects of Overexposure: INHALATION OF HIGH CONCENTRATIONS OF VAPOR MAY CAUSE LIGHT-HEADEDNESS, GIDDINESS, DISORIENTATION, NAU SEA. VOMITING, NARCOSIS, CARDIAC DYSRYTHMIA, HYPOTENSION & DEATH. CONTACT WITH THE RAPIDLY EVAPORAT ING LIQUID MAY CAUSE FROSTBITE OR CRYOGENIC "BURNS". Medical Cond Aggravated by Exposure: FROSTBITE EFFECTS ARE A CHANGE IN COLOR OF SKIN TO GRAY OR WHITE POSSIBLY FOLLOWED BY BLISTERING. First Aid:INHALE: CONSCIOUS PERSON SHOULD BE ASSISTED TO AN UNCONTAMINATED AREA & INHALE FRESH AIR. UNCONSCIOUS PERSONS SH OULD BE MOVED TO AN UNCONTAMINATED AREA, GIVEN MOUTH-TO-MOUTH **RESUSCITATION AND SUPPLEME NTAL OXYGEN. FUTHER TREATMENT SHOULD** BESYMTOMATIC ABD SUPPORTIVE, DERMAL CONTACT OR FROSTBITE: REMOVE CONTAMINATED CLOTHING AND FLUSH AREAS WITH LUKEWARM WATER. Extinguishing Media:NON FLAMMABLE GAS. Unusual Fire/Explosion Hazard: IF HALOCARBON 22 IS INVOLVED IN A FIRE, IT MAY DECOMPOSE YIELDING TOXIC PRODUCTS. ====== Spill Release Procedures: EVAC AREA. USE APPROP PROTECT EQUIP. IF LEAK IS IN USER'S EQUIP, BE CERTAIN TO PURGE PIPING W/AN INERT GAS PRIOR TO ATTEMPTING REPAIRS. IF LEAK IS IN CNTNR/CNTNR VALVE, CONTACT CLOSEST SUPPLIER LOCATI ON OR CALL EMERGENCY PHONE NUMBER LISTED HEREIN. 

Handling and Storage Precautions: PROTECT CYLINDERS FROM PHYSICAL DAMAGE.

STORE IN COOL, DRY, WELL-VENTILATED AREAS AWAY FROM HEAVILY TRAFFICKED AREAS AND EMERGENCY EXITS. Other Precautions:USE PRESS REDUCING REGULTR WHEN CONNECT CYL TO LWR PRESS (