

GREAT LAKES CHEMICAL CORPORATION -- GREAT LAKES HALON 1211 -- 4210-01-321-2292

===== Product Identification =====

Product ID:GREAT LAKES HALON 1211

MSDS Date:01/01/1985

FSC:4210

NIIN:01-321-2292

MSDS Number: BPXHD

=== Responsible Party ===

Company Name:GREAT LAKES CHEMICAL CORPORATION

Address:HIGHWAY 52 NW

Box:2200

City:WEST LAFAYETTE

State:IN

ZIP:47906

Country:US

Info Phone Num:317-463-2511

Emerg

ency Phone Num:501-862-5141 OR 317-463-2511

Preparer's Name:RESEARCH SERVICES DEPT.

CAGE:2E394

=== Contractor Identification ===

Company Name:GREAT LAKES CHEMICAL CORP

Address:1801 HWY 52 NW

Box:2200

City:WEST LAFAYETTE

State:IN

ZIP:47996-2200

Country:US

Phone:765-497-6100/800-949-5167

CAGE:2E394

===== Composition/Information on Ingredients =====

Ingred Name:BROMOCHLORODIFLUOROMENTHANE

CAS:353-59-3

RTECS #:PA5250500

Fraction by Wt: >99%.

===== Hazards Identi

fication =====

LD50 LC50 Mixture:211.2 MG/1 FOR RATS W/4HRS EXPOSURE

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:AT CONCENTRATIONS ABOVE 4 PERCENT,  
HALON 1211 CAN PRODUCE DIZZINESS, IMPAIRED COORDINATION, AND CARDIAC  
EFFECTS.

Effects of Overexposure:EXPOSURE FOR MORE THAN A FEW MINUTES, ABOVE 4  
PERCENT (17 LB/1000 CU.FT. AIR) CAN PRODUCE DIZZINESS, IMPAIRED  
COORDINATI

ON AND CARDIAC EFFECTS.

Medical Cond Aggravated by Exposure:CARDIAC CONDITIONS MAY BE  
AGGRAVATED BY OVER EXPOSURE.

===== First Aid Measures =====

First Aid:REMOVE VICTIM TO FRESH AIR. GIVE SYMPTOMATIC AND SUPPORTIVE  
CARE. GET MEDICAL ATTENTION. NOTE: ADRENALIN IS CONTRAINDICATED IN  
THE TREATMENT OF OVEREXPOSURE TO HALON 1211.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMBLE GAS

Extinguishing Media:H

ALON 1211 IS A FIRE EXTINGUISHING AGENT

Fire Fighting Procedures:AT FLAME TEMPERATURE, HALON 1211 MAY RELEASE  
HYDROGEN HALIDES AND HALOGENS IN TRACE AMOUNTS.

Unusual Fire/Explosion Hazard:PRODUCTS ARE IRRITATING & POTENTIALLY  
TOXIC IF FIRE EXTINGUISHMENT IS DELAYED. PREDOMINANT DECOMPOSITION  
PRODUCTS ARE HYDROGEN CHLORIDE/HYDROGEN BROMIDE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE ENCLOSED AREAS IN CASE OF  
INADVERTENT  
OR DELIBERATE DISCHARGE OF HALON 1211.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTAINER DAMAGE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF CONTAINED BREATHING APPARATUS IF  
EXPOSED TO CONCENTRATIONS GREATER THAN 4 PERCENT.

Ventilation:ALL INDOOR AREAS SHOULD BE WELL VENTILATED

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipm

ent:NONE

Work Hygienic Practices:DETERMINE THAT PIPING IS EMPTY BEFORE DOING  
MAINTENANCE WORK.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:24.8F,-4.0C

Vapor Pres:1770 @ 68F

Vapor Density:5.8 @ 68F

Spec Gravity:1.83

Solubility in Water:INSOLUBLE

Appearance and Odor:COLORLESS GAS AND LIQUID WITH SWEET ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials t

o Avoid:YES

ACTIVE METALS, AND FIRES OF METAL HYDRIDES.

Stability Condition to Avoid:CONTACT WITH ACTIVE METALS, FIRE OF METAL  
HYDRIDES AND MATERIAL CONTAINING OWN OXYGEN.

Hazardous Decomposition Products:HYDROGEN HALIDES AND HALOGENS AT FLAME  
TEMPERATURES IN TRACE AMOUNTS

===== Disposal Considerations =====

Waste Disposal Methods:DISPERSES IN ATMOSPHERE.

Disclaimer (provided with this information by the compiling agencies):

This information is formul

ated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.