

AMERICAN GAS AND CHEMICAL COMPANY,LTD -- LEAK-TEC 372 E -- 6850-00-543-7692

=====  
Product Identification  
=====

Product ID:LEAK-TEC 372 E

MSDS Date:07/26/1999

FSC:6850

NIIN:00-543-7692

MSDS Number: BPXXK

=== Responsible Party ===

Company Name:AMERICAN GAS AND CHEMICAL COMPANY,LTD

Address:220 PEGASUS AVENUE,

City:NORTHVALE

State:NJ

ZIP:07647-1904

Country:US

Info Phone Num:201-767-7300

Emergency Pho

ne Num:201-767-7300

Preparer's Name:ELENA FROST

CAGE:03530

=== Contractor Identification ===

Company Name:ABSCOA INDUSTRIES INC

Address:2000 ROBOTICS PL

Box:185369

City:FORT WORTH

State:TX

ZIP:76118-7129

Country:US

Phone:817-284-4449

Contract Num:SP0450-00-M-D156

CAGE:2N335

Company Name:ABSCOA INDUSTRIES INC

Address:2000 ROBOTICS PL

Box:185369

City:FORT WORTH

State:TX

ZIP:76118-7129

Country:US

Phone:817-284-4449

Contract Num:SP0450-99-M-C601

CAGE:2N335

Company Name:AMERICAN GAS AND CHEMICAL COMP

ANY,LTD  
Address:220 PEGASUS AVENUE,  
City:NORTHVALE  
State:NJ  
ZIP:07647-1904  
Country:US  
Phone:201-767-7300  
CAGE:03530

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS  
= Wt:100.  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Heal  
th Hazards Acute and Chronic:TARGET ORGANS:NONE SPECIFIED BY  
MANUFACTURER. ACUTE -LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL  
HANDLING BY TRAINED PERSONNEL.  
Explanation of Carcinogenicity:NONE REPORTED.  
Effects of Overexposure:NONE REPORTED.  
Medical Cond Aggravated by Exposure:NONE

=====  
First Aid Measures  
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: MOVE TO FRESH  
AIR. EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER.  
ORAL:  
INDUCE VOMITING. SEEK MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:USE ANY SUITABLE FOR SURROUNDING MATERIAL.  
Fire Fighting Procedures:USE WATER TO COOL FIRE-EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:FLUSH TO SANITARY SEWER SYSTEM WITH WATER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
=====

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL AREA. KEEP CONTAINER CLOSED. SHELF LIFE: 2 YEARS.

Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Pr

Protective Gloves:NON-ABSORBENT GLOVES

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Boiling Pt:=100.C, 212.F

Vapor Pres:17.5 MM HG,20C

Vapor Density:>1(AIR=1)

Spec Gravity:1.00 - 1.02

pH:8- 9.0

Evaporation Rate & Reference: