View NSN Online: https://aerobasegroup.kr/nsn/6550-01-248-4808

LERNER LABORATORIES

-- S3149-3 EOSIN Y (ALCOHOLIC)

MSDS Safety Information

FSC: 6550

NIIN: 01-248-4808 MSDS Date: 01/01/1991 MSDS Num: BPXZT

Product ID: S3149-3 EOSIN Y (ALCOHOLIC)

MFN: 01

Responsible Party Cage: 52380

Name: LERNER LABORATORIES Address: 171 INDUSTRY DR City: PITTSBURG PA 15275

Info Phone Number: 412-788-1133

Emergency Phone Number: 412-788-1133

Review Ind: Y Published: Y

Contractor Summary

Cage: 52380

Name: LERNER LABORATORIES Address: 171 INDUSTRY DRIVE City: PITTSBURGH PA 15275

Phone: 800-253-7637/800-424-9300(CHEMTREC)

Item Description Information

=====

Item Name: EOSIN-Y STAIN
Specification Number: UNKNOWN
Type/Grade/Class: UNKNOWN

Unit of Issue: BT UI Container Qty: 1

Type of Container: BOTTLE

Ingredients

Cas: 67-56-1

RTECS #: PC1400000

Name: METHYL ALCOHOL (METHANOL) (SARA III)

% Wt: <50

Other REC Limits: NONE RECOMMENDED

OSHA PEL: S,200PPM/250STEL ACGIH TLV: S,200PPM/250STEL; 93

EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 L BS

Cas: 548-26-5

RTECS #: DH6832500

Name: EOSIN Y

% Wt: <1

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 64-19-7

RTECS #: AF1225000

Name: ACETIC ACID (SARA III)

% Wt: <1

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9293

EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 LBS

Health Hazards Data

=======

LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: ACUTE: INHALATION OF HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACT IRRITATION AND NARCOSIS. CONTACT MAY CAUSE EYE IRRITATION AND DRY SKIN. INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, EYE DAMAGE, DEATH. CHRONIC: PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE

TOXIC EFFECTS.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptions Of Overexposure: INHALED: COUGHING, SHORTNESS OF BREATH, DIZZINESS, STUPOR. EYES: REDNESS, DISCOMFORT, BLURRED VISION. SKIN: DRY SKIN, REDNESS, ITCHING. INGESTED: NAUSEA, VOMITING, DIARRHEA, DIZZINESS,

DROWSINESS, HEA DACHES, VISUAL DISTURBANCES.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURE

R.

First Aid: INHALED: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. SEE DOCTOR. EYES: FLUSH WITHN LOTS OF WATER FOR 15 MINUTES, HOLDING LIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: CONTACT POISON CONTROL CENTER AND GET IMMEDIATE MEDICAL HELP.

Handling and Disposal

Spill Release Procedures: ELIMINATE

ALL SOURCES OF IGNITION. SOAK UP SPILLS IN

INERT MATERIAL AND PLACE IN A MARKED CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL

REGULATIONS. MANUFACTURER SUGGESTS INCINERATION.

Handling And Storage Precautions: STORE IN A FLAMMABLES AREA. STORE AWAY FROM

SOURCES OF IGNITION AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED WHEN

NOT IN USE.

Other Precautions: NONE SPECIFIED BY MANUF

ACTURER.

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point Text: 72.0F,22.2C Lower Limits: UNKNOWN Upper Limits: UNKNOWN

Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS. DO NOT USE

ORDINARY FOAM. USE WATER FOG TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: FLAMM

ABLE LIQUID. VAPORS ARE HEAVIER THAN AIR

AND TRAVEL ALONG GROUND TO AN IGNITION SOURCE AND FLASH BACK.

Control Measures

Respiratory Protection: IF ENGINEERING CONTROLS FAIL; USE NIOSH/MSHA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation: USE ADEQUATE EXPLOSION-PROOF MECHANICAL VENTILATION.

Protective Gloves: RUBBER

Eye Protec

tion: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment: CLOTHING TO PREVENT PROLONGED OR REPEATED SKIN CONTACT. EYE WASH STATION. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. _____ Physical/Chemical Properties _____ HCC: F3 B.P. Text: 160F,71C M.P/F.P Text: UNKNOWN **Decomp Text: UNKNOWN** Vapor Pres: UNKNOWN Vapor Density: >1 (AIR=1) Spec Gravity: 0.86 (WATER=1) Evaporation Rate & Discrete Reference: UNKNOWN Solubility in Water: COMPLETE Appearance and Odor: ORANGE-PINK LIQUID WITH FLUORESCENT GREEN CAST; METHANOL **ODOR** Corrosion Rate: UNKNOWN _____ Reactivity Data ______ Stability Indicator: YES Stability Condition To Avoid: SOURCES OF IGNITION AND CONTACT WITH INCOMPATIBLE MATERIALS. Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS, STRONG ALKALIS. Hazardous Decomposition Products: OXIDES OF CARBON Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NONE _____ Toxicological Information _____ ______ **Ecological Information** ______ ______ **MSDS** Transport Information ______ ______ Regulatory Information ______ ______ Other Information ______ -----Transportation Information

============

Responsible Party Cage: 52380
Trans ID NO: 118195
Product ID: S3149-3 EOSIN Y (ALCOHOLIC)
MSDS Prepared Date: 01/01/1991
Review Date: 02/19/1993

MFN: 1
Tech Entry NOS Shipping Nm: METHYL ALCOHOL SOLUTION, EOSIN-Y STAIN

Net Unit Weight: 7.2 LBS Multiple KIT Number: 0

Review IND: Y Unit Of Issue: BT Container QTY: 1

Type Of Container: BOTTLE

Detail DOT Information

DOT PSN Code: GJJ

Symbols: G

DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.

Hazard Class: 3
UN ID Num: UN1993
DOT Packaging Group: II
Label: FLAMMABLE LIQUID
Special Provision: T8,T31

Non Bulk Pack: 202 Bulk Pack: 242 Max Qty Pass: 5L Max Qty Cargo: 60 L Vessel Stow Req: B

Detail IMO Information

IMO PSN Code: HIN

IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

0

IMDG Page Number: 3230

UN Number: 1993 UN Hazard Class: 3.2 IMO Packaging Group: I/II Subsidiary Risk Label: -EMS Number: 3-07

MED First Aid Guide NUM: T

Detail IATA Information

IATA PSN BV

IATA UN ID Num: 1993

IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

UN Packing Group: II

Packing Note Passenger: 305

Max Quant Pass: 5L

Max Q

uant Cargo: 60L

Packaging Note Cargo: 307

Detail AFI Information

AFI PSN BV AFI Symbols: *

AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.

AFI Hazard Class: 3

AFI UN ID NUM: UN1993 AFI Packing Group: II Special Provisions: P5 Back Pack Reference: A7.3

HAZCOM Label

Produ

ct ID: S3149-3 EOSIN Y (ALCOHOLIC)

Cage: 52380

Company Name: LERNER LABORATORIES

Street: 171 INDUSTRY DRIVE

City: PITTSBURGH PA

Zipcode: 15275

Health Emergency Phone: 800-253-7368 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 02/19/1993

Status Code: C

MFG Label NO: UNKNOWN Label Date: 02/19/1993 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: WARNING Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Moderate

Reactivity Hazard: None

Η

azard And Precautions: INHALATION OF HIGH CONCENTRATIONS MAY CAUSE RESPIRATORY TRACT IRRITATION AND NARCOSIS. CONTACT MAY CAUSE EYE IRRITATION AND DRY SKIN. INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, EYE DAMAGE, DEATH. PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE TOXIC EFFECTS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. FIRST AID: INHALED: MOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS N EEDED. SEE DOCTOR. EYES: FLUSH WITHN LOTS OF WATER FOR 15 MINUT

ES, HOLDING LIDSOPEN. SEE DOCTOR. SKIN:
REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: CONTACT
POISON CONTROL CENTER AN D GET IMMEDIATE MEDICAL HELP.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said inform

ation to have any application, use or

r

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to thei

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.