View NSN Online: https://aerobasegroup.kr/nsn/6505-00-133-8025

## SPECTRUM CHEMICAL MANUFACTURING CORP. -- PETROLATUM -- 6505-00-133-8025

============= Product Identification ========================

Product ID:PETROLATUM MSDS Date:05/10/1991

FSC:6505

NIIN:00-133-8025

MSDS Number: BPYCS === Responsible Party ===

Company Name: SPECTRUM CHEMICAL MANUFACTURING CORP.

Address:14422 SOUTH SAN PEDRO STREET

City: GARDENA

State:CA

ZIP:90248-2027 Country:US

Info Phone Num:213-516-8000

Emergency Phone Num:213-516-8000

CAGE:63415

=== Contractor Identification ===

Company Name: SPECTRUM LABORATORY PRODUCTS INC

Address:14422 S SAN PEDRO ST

Box:City:GARDENA

State:CA

ZIP:90248-2027 Country:US

Phone:310-516-8000/FAX: 310-516-9843

CAGE:63415

======= Composition/Information on Ingredients ========

Ingred Name: GREASE, PETROLEUM

CAS:8009-03-8 Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

========== Hazards Identification ============

Routes of Entry: Inha

lation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF MIST MAY CAUSE RESPIRATORY IRRITATION, LIPID PNEUMONIA/GRANULOMA OF LUNG. CONTACT WITH SKIN MAY CAUSE HYSENSITIVITY REACTIONS IN SOME. CONTACT WITH EYES MAY CAUSE IRRITATION. SWAL LOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE SYSTEM IRRITATION. CHRONIC: SKIN CONTACT MAY CAUSE FOLLICULITIS.

Explanation of Carcinogenicity:IARC LIST MINERAL OI LS AS IARC GROUP

3-INADEQUATE EVIDENCE.

Effects of Overexposure:INHALATION: COUGHING, SHORTNESS OF BREATH. EYES: REDNESS, TEARING, BLURRED VISION, DISCOMFORT. SKIN: RASH, REDNESS, DISCOMFORT. INGESTED: NAUSEA, VOMITING, DIARRHEA. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED: MOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPPED. GIVE OXYGEN IF BREATHING DI FFICULT. GET MEDICAL

ATTENTION. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: TREAT SYMTOMATICALLY AND SUPPORTIVLY. GET MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS.

============ Fire Fighting Measures =========================

Flash Point Method:COC Flash Point:>360F,>182C

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM

Fi

re Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. MOVE CONTAINER FROM FIRE IF CAN BE DONE AT NO RISK. DO NOT SCATTER SPILLED MATERIAL WITH HIGH PRESSURE WATER.

Unusual Fire/Explosion Hazard:DIKE FIRE CONTROL WATER FOR LATER DISPOSAL.

======== Accidental Release Measures ===========

Spill Release Procedures:SWEEP UP AND PLACE IN CONTAINERS FOR LATER DISPOSAL. DO NOT FLUSH TO SEWER OR WATERWAYS. KEEP UNECESSARY PEOPLE AWAY.

**Neutralizing Agent:** 

NONE SPECIFIED BY MANUFACTURER.
========== Handling and Storage =============
Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. IF CONDITIONS WARRANT; USE NIOSH/MSHA APPROVED RESPIRATOR, OR SUPPLIED AIR RESPIRATOR, OR SCBA, AS SITUATION REQUIRES. USE IN ACCORDANCE WITH 29 C FR
1910.134.
Ventilation:USE LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW REGULATORY LIMITS IF VAPORS OR MISTS GENERATED.
Protective Gloves:RUBBER IF PROLONGED OR REPEATED CONTACT
Eye Protection:SAFETY GLASSES Other Protective Equipment:EYE MASH STATION
Other Protective Equipment:EYE WASH STATION Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:>500F,>260C Melt/Freeze Pt:M.P/F.P Text:>100F,>38C Vapor Pres: