Product ID:SODIUM CHROMATE ANHYDROUS MSDS Date:11/07/1985 FSC:6810 NIIN:00-240-2119 MSDS Number: BPYGC === Responsible Party === Company Name: ESSEX CHEMICAL CORP Address:1401 BROAD ST City:CLIFTON State:NJ ZIP:07015 Country:US Info Phone Num:201-773-6300 Emergency Phone Num:201-773-6300 Preparer 's Name: ANDREW D. SOOS CAGE:22360 === Contractor Identification === Company Name: ESSEX CHEMICAL CORP Address:1250 HARMON RD Box:City:AUBURN HILLS State:MI ZIP:48326 Country:US Phone:248-391-6300 CAGE:22360 Ingred Name:SODIUM CHROMATE (SARA III) CAS:7775-11-3 RTECS #:GB2955000 Fraction by Wt: 99%

Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9293 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE: INHALATION MAY CAUSE RESPIRATORY IRRITATION, IRRIATION/LESIONS OF MUCOUS MEMBRANES. CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. INGESTION MAY BE FATAL, CHRONIC: PROLONGED OR REPEATED EXPOS URE MAY CAUSE CANCER. PULMONARY IMPAIRMENT. Explanation of Carcinog enicity:NTP AND IARC LIST CHROMIUM COMPOUNDS AS CARCINOGENS. Effects of Overexposure: INHALED: COUGHING, SHORTNESS OF BREATH, CHEST PAIN, SNEEZING, BLOODY NOSE. EYES: CONJUNCTIVITIS, REDNESS, TEARING, BLURRED VISION, PAIN, BURNING SENSATION. SKIN: REDNESS, DISCOMFORT. INGESTED: NONE SP ECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN AND RESPIRATORY DISEASES MAY BE AGGRAVATED BY EXPOSURE.

=========

First Aid:INHALED: MOVE TO FRESHA IR. GET MEDICAL ATTENTION. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. IF SYMPTOMS P ERSIST, SEE DOCTOR. INGESTED: IF CONSCIOUS, GIVE MILK OF MAGNESIA. FOLLOW WITH EMETIC (SOAPY WATER) THEN OLIVE OIL. GET IMMEDIATE MEDICAL ATTENTION.

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:SHOVEL SOLIDS INTO CLEAN, MARKED CONTAINER. REMAINING TRACES OR LIQUIDS SHOULD BE REDUCED THEN NEUTRALIZED TO PH 7. REDUCING AGENTS: FERROUS SULFITE, SODIUM BISULFITE, ETC. Neutralizing Agent:SODA ASH OR LIME

================== Handling and Storage

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE TO AVOID CAKING. KEEP DRY. KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE OR EMERGENCY OPERATIONS OCCUR; USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUST CARTRIDGE. USE IN ACCORDANCE WITH 29 CFR 1910.134.
Ventilation: USE ADEQU
ATE MECHANICAL VENTILATION.
Protective Gloves: NEOPRENE
Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment: RUBBER APRON, CLOTHING TO PREVENT PROLONGED OR REPEATED SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER.
Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health

HCC:V1 Spec Gravity:1 .435 (WATER=1) Solubility in Water:APPRECIABLE Appearance and Odor:YELLOW CRYSTALLINE SOILD; NO ODOR

Stability Indicator/Materials to Avoid:YES STRONG MINERAL ACIDS, COMBUSTIBLE/OXIDIZABLE MATERIALS. Stability Condition to Avoid:KEEP MOISTURE AWAY. CONTACT WITH INCOMPATIBLES. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal

Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. SPILLS MAY REPORTABLE UNDER LOCAL, STATE AND FEDERAL REGULATIONS UNDER THE CLEAN WATER ACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any p

erson utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.