

GE SILICONES -- DBT -- 8030-00-071-6915

=====
Product Identification
=====

Product ID:DBT
MSDS Date:10/30/1992
FSC:8030
NIIN:00-071-6915
Kit Part:Y
MSDS Number: BQDGS
=== Responsible Party ===
Company Name:GE SILICONES
Address:260 HUDSON RIVER ROAD
City:WATERFORD
State:NY
ZIP:12188
Country:US
Info Phone Num:518-237-3330
Emergency Phone Num:518-237-3330
Preparer's Name:DA POLSINELLI
CAGE:GESIL

===

Contractor Identification ===
Company Name:GE SILICONES
Address:260 HUDSON RIVER ROAD
City:WATERFORD
State:NY
ZIP:12188
Country:US
Phone:518-237-3330
CAGE:GESIL
Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT
Address:260 HUDSON RIVER RD
Box:City:WATERFORD
State:NY
ZIP:12188
Country:US
Phone:518-237-3330/800-332-3390
CAGE:01139

=====
Composition/Information on Ingredients
=====

Ingred Name:DIBUTYLTIN DILAURATE
CAS:77-58-7
RTECS #:WH7000000
Fraction by Wt: 80

-99%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

Ingred Name:VOC (EPA METH 24); 15 G/L
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:DIBUTYL TIN DILAURATE:RAT LD50:1.47MG/KG
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. EYE CONTACT: CAUSES SEVERE EYE IRRITATION. INHALATION: NONE KNOWN.
Explanation of Carcinogenicity:PRODUCT OR INGREDIENTS PRESENT .1% OR MORE NOT LISTED AS CARCINOGEN OR SUSPECTED CARCINOGEN BY NTP, IARC OR OSHA.
Effects of Overexposure:SUBCHRONIC (TARGET ORGAN) EFFECTS: CENTRAL NERVOUS SYSTEM DAMAGE. CUMULATIVE SYSTEMIC TOXICITY.
Medical Cond Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISORDERS.

=====
First Aid Measures
=====

First Aid:INGESTION: IF SWALLOWED INDUCE VOMITING IMMEDIATELY BY GIVING 2 GLASSES WATER & STICKING FINGERS DOWN THROAT. NEVER GIVE ANYTHING TO UNCONSCIOUS PERSON. GET MED AID. SKIN: REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE. WASH WITH SOAP & WATER. GET MED AID IF IRRITATION PERSISTS. INHALATION: NONE KNOWN. EYES: IMMEDIATELY FLUSH EYES W/PLENTY OF WATER FOR 15 MIN, GET MED AID IMMEDIATELY AFTER FLUSHING.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:455F,235C
Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA
Fire Fighting Procedures:NONE KNOWN. WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE, SCRAPE, SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN THE PROTECTIVE EQUIPMENT SECTION. WARN OTHER WORKERS OF SPILL

