

MITTLER SUPPLY INC -- HELIUM -- 6830-00-660-0026

===== Product Identification =====

Product ID:HELIUM  
MSDS Date:01/01/1990  
FSC:6830  
NIIN:00-660-0026  
MSDS Number: BQDLK  
=== Responsible Party ===  
Company Name:MITTLER SUPPLY INC  
Address:3607 S MAIN ST  
City:SOUTH BEND  
State:IN  
ZIP:46614  
Country:US  
Info Phone Num:219-291-5334  
Emergency Phone Num:219-291-5334  
CAGE:0B672  
=== Contractor Identification ===

Company Name:MITTLER SUPPLY INC  
Address:3607 S MAIN ST  
Box:City:SOUTH BEND  
State:IN  
ZIP:46614  
Country:US  
Phone:219-291-5100  
CAGE:0B672

===== Composition/Information on Ingredients =====

Ingred Name:HELIUM  
CAS:7440-59-7  
RTECS #:MH6520000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV: SIMPLE ASPHYXIAN  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinog

enicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION-ASPHYXIAN

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:MODERATE CONCENTRATIONS MAY CAUSE HEADACHE, DROWSINESS, DIZZINESS, EXCITATION, EXCESS SALIVATION, VOMITING AND UNCONSCIOUSNESS. LACK OF OXYGEN CAN CAUSE DEATH.

Medical Cond Aggravated by Exposure:OVEREXPOSURE IS UNLIKELY TO AGGRAVATE EXISTING MEDICAL CONDITIONS.

===== First Aid Measures =====

First Aid:SWALLOWING-THIS PRODUCT IA A GAS AT NORMAL TEMPERATURE AND PRESSURE. SKIN-WASH WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GIVE OXYGEN IF BREATHI NG IS DIFFICULT. CALL A PHYSICIAN. EYES-FLUSH WITH WATER.

===== Fire Fighting Measures =====

Extinguishing Media:HELIUM CAN NOT CATCH FIRE. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:EVACUATE ALL PERSONNEL FROM DANGER AREA. IMMEDIATELY DELUGE CONTAINERS WITH WATER SPRAY FROM MAXIMUM DISTANCE UNTIL COOL, THENMOVE CONTAINERS FROM FIRE AREA.

Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE DUE TO HEAT OF FIRE. NO PART OF A CONTAINER SHOULD BE SUBJECTED TO A TEMPERATURE HIGHER THAN 52C.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL PERSONNEL FROM DANGER AREA. USE SELF-CONTAINED BREATHING APPARATUS WHERE NEEDED. SHUT OFF LEAK IF WITHOUT RISK. VENTILATE AREA OF LEAK OR MOVE LEAKING CONTAINER TO WELL VENTILATED AREA.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AND USE WITH ADEQUATE VENTILATION. CLOSE VALVE WHEN NOT IN USE AND WHEN EMPTY. DO NOT STRIKE ARC OR CYLINDER. DO NOT GROUND CYLINDER.

Other Precautions:CAUTION. HIGH

PRESSURE GAS. USE PIPING AND EQUIPMENT  
ADEQUATELY DESIGNED TO WITHSTAND PRESSURES TO BE ENCOUNTERED. CAN  
CAUSE RAPID SUFFOCATION DUE TO OXYGEN DEFICIENCY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELECT IN ACCORDANCE WITH OSHA 29 CFR 1910.134.  
RESPIRATOR SHALL BE ACCEPTABLE TO MSHA AND NIOSH.  
Ventilation:LOCAL EXHAUST-PREFERRED. MECHANICAL(GENERAL)-ACCEPTABLE.  
Protective Gloves:PREFERRED FOR CYLINDER HANDLING.  
Eye Protection:SELECT  
IN ACCORD WITH OSHA 29 CFR 1910  
Other Protective Equipment:METATARSAL SHOES FOR CYLINDER HANDLING.  
SELECT IN ACCORDANCE WITH OSHA 29 CFR 1910.132 AND 1910.133.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING, DRINKING OR SMOKING.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:G3  
Boiling Pt:B.P. Text:-452F,-269C  
Melt/Freeze Pt:M.P/F.P Text:-458F,-272C  
Vapor Pres:GAS  
Vapor Density:0.138  
Spec Gravity:G  
AS  
Viscosity:GAS  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:COLORLESS GAS AT NORMAL TEMPERATURE AND PRESSURE;  
ODORLESS.  
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE CURRENTLY KNOWN. HELIUM IS CHEMICALLY INERT.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Was

te Disposal Methods:SLOWLY RELEASE INTO ATMOSPHERE OUTDOORS. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.