View NSN Online: https://aerobasegroup.com/nsn/8040-00-728-2887

TRA-CON INC -- TRA-DUCT FS-339 HARDENER -- 8040-00-728-2887

========= Product Identification ==============

Product ID:TRA-DUCT FS-339 HARDENER

MSDS Date:01/01/1987

FSC:8040

NIIN:00-728-2887

Kit Part:Y

MSDS Number: BQDLT === Responsible Party === Company Name:TRA-CON INC

Address:55 NORTH ST

City:MEDFORD

State:MA ZIP:02155 Country:US

Info Phone Num:617-569-9700

Emergency Phone Num:617-569-9700

CAGE:22835

=== C

ontractor Identification ===
Company Name:TRA-CON INC

Address:55 NORTH ST

Box:3933

City:MEDFORD

State:MA

ZIP:02155-4225 Country:US

Phone:617-391-5550

CAGE:22835

======= Composition/Information on Ingredients ========

RTECS #:9999999ZZ Fraction by Wt: 80-100%

Other REC Limits: NONE SPECIFIED

Ingred Name:ALKOXYLATED POLYALKYL AMINE AND/OR NEXT INGREDIENT Other REC Limits:NONE SPECIFIED

Ingred Name:2,4,6-TRI(DIMETHYLAMINO METHYL) PHENOL AND/OR THE NEXT INGREDIENT CAS:90-72-2

RTEC

S #:SN3500000
Other REC Limits:NONE SPECIFIED

Ingred Name:SIMILAR ISOMERS AND HOMOLOGS OF 2,4,6-TRI(DIMETHYLAMINO METHYL) PHENOL

CAS:69980-74-1

Other REC Limits: NONE SPECIFIED

LD50 LC50 Mixture:INGESTION LD50 (RATS) >2500 MG/KG
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE OR MOUTH CONTACT MAY CAUSE SERIOUS
BURNS; MATERIAL IS ALSO A STRONG SENSITIZER.

== First Aid Measures ==========

First Aid:EYES: FLUSH WITH WATER, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR. INGESTION: NO KNOWN ANTIDOTE; TREAT SYMPTOMS. INDUCE VOMIT ING IF LARGE AMOUNT SWALLOWED.

========= Fire Fighting Measures ==============

Flash Point Method:COC Flash Point:>200F,>93C

Extinguishing Media: DRY CHEMICALS, CARBON DIOXIDE, WATER.

Fire Fighting Procedur

es:AVOID BREATHING SMOKE. ADDITION OF WATER MAY REDUCE FLAME INTENSITY.

Unusual Fire/Explosion Hazard:TOXIC GASES MAY BE LIBERATED; HANDLE AS COMBUSTIBLE; STORE IN A COOL PLACE.

======== Accidental Release Measures ============

Spill Release Procedures:PREVENT SKIN AND EYE CONTACT. SOAK UP IN ABSORBENT MATERIAL, OR SCRAPE UP AND TRANSFER TO DISPOSAL CONTAINER. WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE D ETERGE

NTS.
============ Handling and Storage ==============
Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY: WARNING: MAY CAUSE SENSITIZATION, IRRITATION, OR OTHER ALLERGIC RESPONSES. Other Precautions:AVOID EYE AND/OR SKIN CONTACT AND PROLONGED INHALATION OF VAPORS. STORE IN A COOL PLACE IN CLOSED CONTAINERS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:AIR SUPPLIED, OR ORGANIC CANISTER, MASK IN CONFINED AREAS. Ventilation:LOCAL EXHAUST: RECOMMENDED. MECHANICAL (GENERAL): RECOMMENDED. Protective Gloves:RUBBER OR PLASTIC DISPOSABLE. Eye Protection:SAFETY GLASSES OR GOGGLES. Other Protective Equipment:AS REQUIRED TO PREVENT ALL BODY CONTACT, EYE BATH AND/OR SAFETY SHOWER. Supplemental Safety and Health KEY1:N1. KIT CONSISTS OF TWO PARTS. SEE PNI A FOR OTHER PART.
========= Physical/Chemical Properties ==========
HCC:V4 Boiling Pt:B.P. Text:>295F,>146C Vapor Pres:2 Spec Gravit v:1.01 (WATER=1)

y:1.01 (WATER=1)
Evaporation Rate & Description of the Solubility in Water: PARTIAL
Appearance and Odor: CLEAR, LIGHT AMBER, LOW VISCOSITY LIQUID, AMMONIACAL ODOR.

Percent Volatiles by Volume: